

Azarakhsh®
INTERNATIONAL REFRACTORY BRICK & CERAMIC GROUP

برای دریافت جزئیات و آدرس های مربوط به تصاویر داخل کاتالوگ و سایر پروژه های انجام شده با آجر آذرخش ، با مراجعه به منوی (پروژه ها) در سایت آذرخش می توانید در هر گوشه از ایران پهناور که باشید از نزدیک ترین پروژه ها به محل زندگی تان بازدید نمایید .

Azarakhsh International Refractory Brick Manufacturer Group



▸Welcome to Azarakhsh company

نگرش مردم نسبت به پدیده های اجتماعی می تواند در تحقق آرمانها و رفاه مردم جامعه نقش تسهیل کننده ای داشته باشد . روزگاری هدف از تهیه ی مسکن ، مصون نگه داشتن انسان از سرما ، گرما و خطر بود اما امروزه ساخت و ساز تحت تاثیر مهندسی معماری و صنعت ساختمان سازی قرار گرفته و در راه تامین مسکن، به بهترین و زیباترین می اندیشد به همین دلیل در صنعت ساختمان سازی، نمای ساختمان از اهمیت خاصی برخوردار شده است ، لذا شناخت و استفاده از مصالحی که این نیاز ها را برآورده سازد در اولویت قرار می گیرد. یکی از رایج ترین مصالح ساختمانی، آجر است که علاوه بر خصوصیات ذاتی آن که پایداری در برابرسرما، گرما و رطوبت و..... می باشد، زیبایی ظاهری آن نیز مورد توجه همگان قرار گرفته است ، این خواص باعث شده است که آجر به عنوان یکی از پر مصرف ترین مصالح در ساختمان ها باشد . زیبایی و الگوی حاصل از آجر چینی باعث شده که به صورت نما در داخل و خارج بنا مطرح گردد و هویتی خاص به ساختمان بخشد استفاده از آجر به عنوان کف فرش ، پله و مجوطه سازی فارغ از مقاومت مطلوب آن ویژگی های اقلیمی این مصالح کویری را در تمام شرایط جوی بیشتر به نمایش می گذارد . در این راستا ، توانمندی ها ، اطلاعات فنی بالا و روشهای نوین بهمراه امکانات فراوان مجموعه ی آذرخش، این امکان را فراهم نموده تا علاوه بر مدرن بودن آجر نسوز نما تولیدی این گروه ، مسیری برای شکفتن روح حساس و زیباشناس معماران فراهم گرداند. البته آجر تنها وسیله ی شناخت این زیبایی روحی نیست، بلکه در پروسه ساخت ساختمان از منظر زیبایی شناسی عوامل بسیاری دخیلند ، ولی تفاوت بین آنها در این است که آجر قابلیت ایفای هر ایده ای را دارد و با وجودگذشت قرون، هنوز مدرن و کارآمد است . گروه بین المللی کارخانجات فراورده های نسوز آذرخش قم با بهره گیری از متخصصان کارآزموده و استفاده از مدرن ترین تکنولوژی های روز دنیا و با رعایت قوانین ایزو ۹۰۰۱ و استانداردهای بین المللی توانسته بیشترین تنوع و ظرفیت را در تولیدات خود بوجود آورد. دامنه تولیدات این گروه از طرح های سنتی و انتیک تا مدرن گسترش یافته است. این گروه شما را دعوت می نماید تا با نگاهی عمیق و دقیق به تولیدات این مجموعه بر اساس سلیقه و نیاز خود ،بهترین ها را انتخاب نمایید. بهترین ها شایسته ی شماست .

People's attitudes to social phenomena may play a facilitating role in fulfillment of their goals and welfare. One day, the purpose of dwelling was to be protected from coldness, warmness and hazards, but today the purpose of building construction has been affected by architectural and construction engineering, and human think about dwelling as the best and most beautiful ones. For this reason, façade has a great importance in building industry today. Therefore, identification and application of materials which may fulfill these needs have been prioritized.One of the most common construction materials is brick. In addition to its resistibility against coldness, warmness and humidity, its apparent beauty has been paid in attention. These characteristics have led the brick to be used most commonly in the world. The beauty and pattern of brickwork has made it to be used for inner and outer facades of buildings and provide a particular identity for building. Bricks can be used for flooring, staircase flooring and or construction and area construction excluding its favorable strength. In addition, climatic properties of these desert materials represent their durability under different climatic circumstances.In this regard, abilities, having high technical information and modern methods together with vast facilities of Azarakhsh group have provided the path of prospering sensitive and aesthetic spirits of architects in addition to modernity of façade bricks produced by this group. Of course, the brick is not the only means of identifying this spiritual beauty. In fact, there are many factors, from the view point of building aesthetics, which play role in building construction. However,the difference among them originates from the fact that any ideas can be applied by brick and it is still modern and applicable despite pass of centuries.Benefiting from qualified experts, using state of the art technologies and observing ISO 9001 standard rules as well as other international standards, Azarakhsh Qom International refractory products have provided the vastest diversity and capacity for production of its products. The scope of our production ranges between antique to modern products. We invite you to select the best of our products with accurate observation based on elegance and needs. The bests deserve you.

History And facilities Site ..... 1 - 9

History ..... 1 - 5
Facilities Site ..... 6 - 9

Design ..... 10 - 143

Amrican design refractory brick ..... 10 - 30
Random Shamuti design refractory brick ..... 31 - 43
British design refractory brick..... 46 - 59
Granit design refractory brick ..... 60 - 71
No 400 Refractory brick ..... 72 - 77
Black design refractory brick ..... 78 - 83
Mixed dimensions design refractory brick ..... 84 - 85
Floor design refractory brick ..... 86 - 96
Rostic design refractory brick ..... 97 -117
Rock design refractory brick ..... 118 - 125
Special design refractory brick ..... 126 - 133
Decorative design refractory brick ..... 134 - 135
Sculpture design ..... 136 - 139
Honors and objectives ..... 140 - 143

Products Codes ..... 144 - 157

Wall codes refractory brick ..... 144 - 151
Floor codes refractory brick ..... 152 - 153
Decorative codes refractory brick ..... 154 - 157

Contacts Us ..... 158 - 160

Contacts ..... 158 - 160



PRECIOUS BRICKS

Azarakhsh Co. facade firebricks international manufacturer group with the support of specialize personnel and equipments and with the use of modern technologies and possibilities around the world is ready at any time that you wish to actualize your dream.

بزرگترین تولید کننده ی انواع آجرهای نسوز نماهای ماندگار ساختمان در خاورمیانه
عضوانجمن آجرآمریکا

گروه بین المللی کارخانجات فرآورده های نسوز آذرخش با پشتوانه تجهیزات و پرسنل متخصص خود و با بهره گیری از کلیه امکانات و تکنولوژی های روز دنیا و مطابق با استاندارد های بین المللی در هر زمان که شما اراده کنید آماده ی تحقق آن رویایی است که شما به آن می اندیشید...

High-grade bricks for a worth living architecture.

Azarakhsh®

INTERNATIONAL REFRACTORY BRICK & CERAMIC GROUP

برای دریافت جزئیات و آدرس های مربوط به تصاویر داخل کاتالوگ و سایر پروژه های انجام شده با آجر آذرخش ، با مراجعه به منوی (پروژه ها) در سایت آذرخش می توانید در هر گوشه از ایران پهناور که باشید از نزدیک ترین پروژه ها به محل زندگی تان بازدید نمایید

Get a Perfect view The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East



Brick comes from a Greek name and is called to adobes which were once used to engrave sovereign orders.These adobes were then baked (heated) and encrypts were appeared on them. There is no time accuracy for when the Brick was made. It may be attributed to the advent of fire. Possibly, the mud beside fire places set by the early humans was baked and became harder than the surrounding lump mud. When the early humans observed this phenomenon, they had discovered a piece of Brick.Brick is one of the construction materials which have congruency with humankind temperament.In addition, it has been used at any times in the history in some kind.At first, the humankind dwelled in caved. Then, they decided to find a shelter to protect themselves from atmospheric factors such as wind, rain, coldness, warmness and the invasion of predators and stingers.Bricks are the materials produced industrially and substituted by the stone. In fact, Brick is a man-made stone which has been deformed from its original nature.This group of construction materials which is considered as the first industrially mass produced construction material by the human is classified into different types based on the type of raw materials, production procedure or place of use.Argillous or clayey Bricks which are the first and most abundant have ages of thousands of years.Through advancement of chemical technology and science of chemistry, countless types of Bricks with different qualities, sizes and apparent form have beenoffered to market. Today, we can observe vast types of these products.

آجر یا آگور واژه ایست یونانی و به خشت هایی گفته می شد که احکام و فرامین دولتی روی آن حک می گردید و سپس با پختن این خشت ها، نوشته های روی آن پایدار می شد. به راستی که پیدایش آجر از چه زمانی آغاز شد؟ آیا می توان آن را با پیدایش آتش همزمان دانست بدین طریق که گل موجود در کناره اجاق های انسان های اولیه پخته شده و سخت تر از کلوخه های همجوار خود گردید و با مشاهده آن بشر اولیه قطعه ای از آجر را کشف نمود . آجر یکی از مصالح ساختمانی است که با خلق و خوی بشر بسیار سازگار بوده و در هر دورانی از تاریخ به نوعی مورد استفاده واقع قرار گرفته است. ابتدا بشر زندگی غار نشینی را پشت سر گذاشته و فکر تهیه سر پناه در ذهن او ایجاد شد تا خود را از گزند عوامل جوی مانند باد، باران، سرما، گرما و هجوم جانوران درنده و گزنده محفوظ نگاه دارد. آجر ها گروهی از مصالحی هستند که به صورت صنعتی تولید و جایگزین سنگ شده اند و در حقیقت ، سنگی ساخته دست بشر هستند، سنگی دگرگون که از تغییر وضعیت خویش پدید آمده است. این گروه از مصالح که اولین تولید صنعتی انبوه از مصالح ساختمانی به ساخت دست بشر به شمار می آیند ، بر اساس نوع مواد اولیه ، روند تولید و محل مصرف به انواع متنوعی تقسیم می شوند. آجر های رسی که اولین و فراوان ترین آنها هستند قدمت چند هزار ساله دارند. با پیشرفت تکنولوژی و علم شیمی انواع بی شماری از آجر ها با کیفیت های مختلف ، ابعاد و شکل ظاهری متنوع راهی بازار مصرف شده اند امروز شاهد تنوعی چشم گیر از این نوع محصولات هستیم.









هنـر و آثـار باسـتانی بازتـاب زحمـات ، تـلاش و حاصـل زندگـی انسانهاسـت و بخـش بزرگـی از تمـدن جوامـع بشـری را تشـکیل مـی دهـد . از ایـن رو بررسـی و شـناخت و از همـه مهمتـر حفـظ آن بسـیار مفیـد و ضـروری اسـت . لـذا بایـد محصـولات هنـری و آثـار باسـتانی را بـه عنـوان آثـار گرانقـدر بشـری قلمـداد کنیـم چـرا کـه ایـن آثـار غیـر قابـل تکـرار در تـاریخ هسـتند امـروزه بـه منظـور حفـظ و مانـدگاری بناهـای مهـم و خـاص از آجـر هـای نسـوز اسـتفاده مـی شـود کـه از ویژگیهـای آن مـی تـوان مقاومـت در برابـر سـایش و یخبنـدان هـای مکـرر و قابلیـت مصـرف در تمامـی شـرایط اقلیمـی را نـام بـرد . آجـر نسـوز آذرخـش عـلاوه بـر دارا بـودن تمامـی خصوصیـات و ویژگـی هـای مذکـور ، دارای تنـوع در رنـگ ، زیبایـی و اسـتحکام فـوق العـاده اسـت کـه آن را از آجـر هـای نسـوز دیگـر کامـلا متمایـز مـی سـازد .

Ancient art and works are reflection of humankind's endeavor and constitute the main part of civilization of human societies. Therefore, investigation, identification and preservation of these works, above all,are very useful and indispensable. For this reason, artistic and ancient works shall be considered as the humankind' worthy works since they cannot be repeated in history. Today, refractory bricks are used to preserve the firmness of important buildings. These bricks have some main characteristics such as resistance to abrasion (abrasion-resistance), repetitive or frequent frosts and usability under different climatic circumstances. In addition to having all above mentioned characteristics, Azaraksh refractory bricks have vast diversity of colors, beauty and durability which make them more distinguished from other refractory bricks.

گروه بین المللی کارخانجات فرآورده های نسوز آذرخش قم
شرکت تولیدی صنعتی آذرخش آجر نسوز قم(۱۵۸۵)
شرکت آذرخش فرآورده های نسوز قم(۳۹۷۰)
شرکت بین المللی سرامیک های نسوز آذرخش قم(۹۸۲۰)
شرکت مهندسی مشاور بین المللی آذرخش سرام(۴۰۱۶۳۴)
شرکت بین المللی آذرخش توسعه صنایع نسوز(۱۱۶۳۰)









گروه بین المللی کارخانجات فرآورده های نسوز آذرخش قم با استعانت از خداوند متعال، همیاری پرسنل و متخصصین فعال و بهره گیری از معادن انحصاری خود و با استفاده از مرغوبترین مواد اولیه موجود در کشور، به منظور تامین نیازهای روز افزون صنعت ساختمان به انواع فرآورده های نسوز و به جهت ارزآوری در سال ۱۳۷۶ با اهدافی از پیش تعیین شده ، واحد شماره ۱ خود را با ظرفیت سالانه ۱۵،۰۰۰ تن انواع مواد نسوز و آجر نمای نسوز در شهرک صنعتی شکوهیه قم تحت نام شرکت تولیدی صنعتی آذرخش آجر نسوز قم تاسیس نمود و واحد شماره ۲ خود را در سال ۱۳۸۲ به نام شرکت آذرخش فراورده های نسوز قم با پیشرفته ترین ماشین آلات روز دنیا با ظرفیت سالانه ۱۸،۰۰۰ تن انواع آجرهای نسوز نما ساختمان، در شهرک صنعتی محمودآباد قم تاسیس نموده است و پس از بازاریابی های گوناگون در سطح بین الملل واحد شماره ۳ خود را در سال ۱۳۸۷ تحت نام ((شرکت بین المللی سرامیک های نسوز آذرخش قم)) با ظرفیت سالانه ۶۰،۰۰۰ تن انواع آجر های نسوز نما و کف ساختمان تاسیس و به بهر برداری رساند.گروه بین المللی آذرخش در حال حاضر بزرگترین تولید کننده ی انواع فرآورده های نسوز نماهای ماندگار ساختمان با کیفیت عالی و قابل رقابت با مشابه خارجی در سطح خاورمیانه می باشد و تنها تولیدکننده ی انواع آجر نسوز صفحه ای تزئینی در ابعاد بزرگ در کشور می باشد و افتخارات متعددی در سطح بین الملل برای کشور به ارمغان آورده است . این گروه به منظور توسعه روز افزون صادرات و ارزآوری و همچنین جهت کار آفرینی در کشور و با چشم اندازی به افق های روشن ، به ارتقاء و اعتلای میهن عزیزمان می اندیشد و در راستای این اهداف متعالی واحد شماره ۴ خود را در شهرک صنعتی محمود آباد قم در مجاورت واحد ۳ با مساحت ۶۰،۰۰۰ متر با ظرفیت سالانه ۳۶۰،۰۰۰ تن انواع آجر های نسوز نمای ساختمان و آجر های ویژه در سال ۱۳۹۱ تحت نام شرکت بین المللی آذرخش توسعه صنایع نسوز تاسیس نمود .

By the assistance of God, collaboration of active staffs and experts and benefiting from its exclusive mines as well as using the most premium raw materials (existing in Iran), **Azarakhsh** Co. has established its unit (factory) No.: 1 with annual capacity of 15,000 tons of refractory bricks and products since 1997 in Qom's Shokoohieh Industrial Town with pre-determined goals to provide foreign currencies. It then established its second factory under the name of **Azarakhsh** Qom Refractory products with state of the art machineries with annual capacity of 18000 tons of façade refractory bricks in Qom's Mahmood Abad Industrial Town. After vast international marketing, it erected its third factory under the name of **Azarakhsh** Qom International Refractory Ceramics Co. with annual capacity of 60000 tons of façade and floor refractory bricks.At the moment, **Azarakhsh** Interntional Group is one of the biggest producers of refractory products in Middle East (with high quality and competitiveness with foreign prototypes) for long-lasting façades of buildings. It is also the biggest producer of big-size planar refractory bricks in the state. **Azarakhsh** group has gained many international honors for Iran.For the purpose of ever-increasing export development and suppleness of foreign currencies and glancing the bright horizons of the state promotion and excellence, this group has established its fourth factory under the name of **Azarakhsh** International Co., Development of Refractory Products, with annual capacity of 360,000 tons. This factory, which is 60,000 Sq. m. in area, is located beside the third factory and produces different kinds of special and façade refractory bricks.



FACTORY No 1

• Azarakhsh Qom Industrial Refractory Brick Production Co.(1585)

WE ARE Here

You've heard of us?
We deserve your ***trust!***



- Azarakhsh Qom Refractory Products Co. (3970)
- Azarakhsh Qom International Refractory Ceramics Co. (9820)
- Azaraksh International Co, Development of Refractory Products (11630)

Azarakhsh®
INTERNATIONAL REFRACTORY BRICK & CERAMIC GROUP

we change your mind

SOME SPECIFICATIONS
of Firebricks Compared with usual Facade bricks

Azarakhsh

OUR QUALITIES

*We know how to **create a safe & clean** enviornment for everyone*

- ✓ **Sound and heat insulator** *and incombustible isolator up to 1200° C.*
- ✓ **Resistant against** *freezing (Glacial), against friction and erosion against acidic rains, resistance against cold, warmth, moisture, and sun rays.*
- ✓ **Clean environment,** *due to not using pollutants such as lime and asbestos.*
- ✓ **Extraordinary colors** *with a variety of models (classic, antique, modern)*
- ✓ **Usabe in any type of climate** *and weather condition ...*

GET IN TOUCH!

MAIN OFFICE
NO. 21, Azarakhsh Building
Alef Sq. Zafaraniye, Tehran

VISIT OUR
WEBSITE
www.Azarakhsh.ir



WHAT OUR **FACILITIES** SAY

گروه بین المللی کارخانجات آجر نسوز نما آذرخش ، دارای ۴ کارخانه مجهز و پیشرفته تولید آجر می باشد.

کارخانه شماره ۱ : شرکت تولیدی صنعتی آذرخش آجر نسوز قم

• این کارخانه مجهز به واحدهای دانه بندی ، پرس ، پخت و بسته بندی می باشد . واحد آزمایشگاه کنترل کیفی و آنالیز، پرس های تمام اتوماتیک با ظرفیت های ۴۰۰ تا ۹۸۰ تن و کوره های شاتل با ظرفیت های ۵۰ الی ۱۰۰ از دیگر امکانات مجهز این کارخانه به شمار می روند.

کارخانه شماره ۲ : شرکت آذرخش فرآورده های نسوز قم

• این کارخانه علاوه بر داشتن واحد دانه بندی پیشرفته ، در سالن های تولید، دارای ۱۲ دستگاه پرس هیدرولیک با ظرفیت های ۹۸۰ تا ۱۴۰۰ تن میباشد . ۵ دستگاه کوره شاتل واگنی با ظرفیت های بیش از ۲۰۰ تن را می توان از دیگر امکانات مجهز این کارخانه برشمرد.

کارخانه شماره ۳ : شرکت بین المللی سرامیک های نسوز آذرخش

• این کاخانه دارای ، سیستم های پیشرفته و تخصصی خردایش ، دانه بندی و آسیاب های کوبیت ، فکی و تیغه ای است ،کوره های دوار و ماشین آلات تمام اتوماتیک در تمامی مراحل آماد سازی مواد اولیه و همچنین ماشین آلات پیشرفته ی انتقال مواد ، همه بخشی از امکانات این مجموعه به شمار می آیند. این کارخانه با به کارگیری ۱۴ دستگاه پرس هیدرولیک تمام اتوماتیک شرکت ساکمی ایتالیا با ظرفیت های ۱۴۰۰ تن و همچنین کوره تونلی اتوماتیک توانسته است ، در راستای اهداف این گروه گام برداد.

کارخانه شماره ۴ : شرکت بین المللی آذرخش توسعه صنایع نسوز

• این کارخانه با بهره گیری از جدیدترین و پیشرفته ترین ، متدهای تولید و استفاده از مجهز ترین ، تجهیزات ، روز دنیا توانسته است به یکی از بزرگترین کارخانه های تولید آجر در منطقه تبدیل شود. این کارخانه طی سالهای همکاری با شرکت ساکمی ایتالیا . که یکی از معتبرین کارخانه های تولید تجهیزات و ماشین آلات آجر و سرامیک است به یکی از مهمترین و بزرگترین کارخانه های تولید آجر در دنیا تبدیل شده است . سیستم دانه بندی تمام اتوماتیک و خط و تولید روباتیک و مکانیزه و همچنین دار بودن ، جدیدترین و به روز ترین آزمایشگاه کنترل کیفی ،کوره های رولری و خط تولید تمام اتوماتیک و پیشرفته که از امکانات بی بدیل این مجموعه است. ما را در پیش برد اهداف این مجموعه که رسیدن به افق های روشن در جهت جلب رضایت شما عزیزان همراه ، و ارتقاء اعتلای این مرزبوم یاری رسانده است .

Azarakhsh International Facade Refractory Brick Manufacturer Group includes four modern and equipped factories;

Factory No .1: Azarakhsh Qom Refractory Brick Productive – Industrial Co.

This factory includes grading, pressing, baking and packing units. Quality control and analysis lab, fully-automatic pressing machines with capacities of 980 to 1400 tons and also shuttle furnaces with capacities of 50 to 100 are other possibilities this factory is equipped with.

Factory No .2: Azarakhsh Qom Refractory Products Co.

Addition to grading unit, this factory is equipped with twelve hydraulic pressing machines with capacities of 980 to 1400 tons. Five wagon-type shuttle furnaces with capacities of more than 200 tons can be mentioned other possibilities this factory is equipped with.

Factory No.3: International Azarakhsh Qom Refractory Ceramics Co.

This factory is equipped with modern and specialized equipment of grinding, grading, cubits, jaw and blade mills systems
, rotating furnace, fully-automatic machineries in all raw materials preparation steps and also modern material conveyance machineries etc. this factory with use of fourteen fully-automatic hydraulic pressing machines manufactured by Sacmi Imola co(Italy) is successful to achieve groups' goals.

Factory No.4: International Azarakhsh development of Refractory Industries co.

This factory with the use of the most advanced methods and modern technologies and equipment around the world and also cooperation with Sacmi Imola co, one of the best and most important companies producing ceramic and brick machineries, became one of the biggest factories and is known as pioneer in Refractory Brick industry in middle east. Fully-automatic grading system, modern robotic product line, modern quality control lab are the other possibilities of this factory of Azarakhsh Group. **These possibilities help us to be successful in your satisfaction**









A Brick-made building is a part of nature. Harmony not only disturbs it but also grants its scenic color and form. This type of building is always preferred and advances though passage of time.**A Brick**-made building like a hand-made carpet is a combination of endless elegances of artist architects.

260 - AP 32
260 - AP 33
260 - AP 34





DETAILS
PAGE
144



260 - AP 32
260 - AP 33
260 - AP 34



260 - AP 32




260 - AP 33

The secret of **Brick** ability for creating the most fantastic buildings of history is due to its proportionality. A **Brick**-made building is a part of nature. This building not only disturbs its congruency with nature but also provides a scenic color and form. Therefore, it has been always preferred by people. Like a hand-made carpet, it is the endless elegances of architects. The other property which brings exclusivity for **Brick** is its different sizes (dimension). These sizes have been evolved during time and coordinated with the human's body structure and ability. Its size makes it to be matched together easily. This property provides countless engineering properties in the location of two walls contact. **Bricks** are fixed to each other through mortar and provide a uniform surface. Due to their proper sizes, these materials have been used to create arc and dome since the era of Sassanid dynasty in Iran.


260 - AP 32

Brick Name ►	Refractory Brick No 260
Design Name ►	American Design
Dimenations ►	260*55*27
N/m ►	60

نام آجر ◄	آجر نسوز پلاک ۲۶۰
نام طرح ◄	نما آمریکایی
ابعاد ◄	۲۶۰*۵۵*۲۷
تعداد در هر متر مربع ◄	۶۰ قالب







Exclusive Properties of **Azarakhsh Refractory Bricks** One of the most important properties of **Azarakhsh Refractory Bricks** is their thermal masses. In fact, due to their high densities, they preserve heat and free such heat gradually. In other words, houses constructed with these **Bricks** become cool in summer and warm in winter since it does not let the energy be lost. Of the other properties of our **Bricks**, diversity of color may be exemplified. This color originates from color-making elements in mineral compounds. In addition, high temperature baking manifests the vast colors after production of refractory **Bricks**. These **Bricks** will then be constant from the view point of color against sunlight.

DETAILS PAGE 144

A façade constructed with **Azarakhsh** bricks creates delicateness and beauty of apparent display of building and its appropriate perspective for building. **Azarakhsh** refractory bricks play the role of a heat and cold-proof medium which prevent loss of energy produced by heating and cooling systems. They also remove or reflect heat in summer based on their color, type and area. This action applies for winter as they attract sunlight and consequently heat of the sun.







AZARAKHSH

Refractory Brick

www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East



Azarakhsh International Refractory Brick Manufacturer Group

A façade constructed with **Azarakhsh** bricks creates delicateness and beauty of apparent display of building and its appropriate perspective for building. **Azarakhsh** refractory bricks play the role of a heat and cold-proof medium which prevent loss of energy produced by heating and cooling systems. They also remove or reflect heat in summer based on the [illegible] type and area. This action applies for [illegible] as they attract sunlight and consequently heat of the sun.



330 - AP 42
330 - AP 37
280 - AR 20


330 - AP 41

Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.






A Brick-made building is a part of nature. Harmony not only disturbs it but also grants its scenic color and form. This type of building is always preferred and advances though passage of time.**A Brick**-made building like a hand-made carpet is a combination of endless elegances of artist architects.









DETAILS
PAGE
144








260 - AP 32

Exclusive Properties of **Azarakhsh Refractory Bricks** One of the most important properties of **Azarakhsh Refractory Bricks** is their thermal masses. In fact, due to their high densities, they preserve heat and free such heat gradually. In other words, houses constructed with these **Bricks** become cool in summer and warm in winter since it does not let the energy be lost. Of the other properties of our **Bricks**, diversity of color may be exemplified. This color originates from color-making elements in mineral compounds. In addition, high temperature baking manifests the vast colors after production of refractory **Bricks**. These **Bricks** will then be constant from the view point of color against sunlight.


260 - AP 29

DETAILS
PAGE
144


260 - AP 32


260 - AP 32


260 - AP 32





230 - AP 88
230 - AP 86
260 - AP 32
AP 218
230 - AST 115



260 - AP 31
260 - AP 32





All **Bricks** are composed of naturally occurring materials and they all have organic compounds. Pres-ence of these compounds in **Bricks** result in efflorescence and reduces the beauty of façade.This phe-omenon is more tangible in clayey **Bricks**.The organic compounds of the produced **Brick** are totally ruined in temperature of above 1100 C°.As a result, when these compounds are ruined, no For this reason, results of efflorescence tests are very slight due to above mentioned issue.



DETAILS
PAGE
144

Azarakhsh **Brick** façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade fire**Brick** plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.







Azarakhsh International Façade Refractory **Brick**s Manufactories (Group) is ready to fulfill the dreams you're thinking about by virtue of its equipment, specialist staffs and benefiting from all facilities and state of the art technologies whenever you desire.

AZARAKHSH

Refractory Brick


www.Azarakhsh.ir


The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East


260 - AP 31


260 - AP 32


260 - AP 32


260 - AP 32


260 - AP 32


260 - AP 31



Brick Name ▶	Refractory Brick No 260
Design Name ▶	American Design
Dimenations ▶	260×55×27
N/m² ▶	60

نام آجر ◀	آجر نسوز پلاک ۲۶۰
نام طرح ◀	نما انگلیسی رندوم
ابعاد ◀	۲۶۰×۵۵×۲۷
تعداد در هر متر مربع ◀	۶۰ قالب



DETAILS
PAGE
144

All **Bricks** are composed of naturally occurring materials and they all have organic compounds. Presence of these compounds in result in efflorescence and reduces the beauty of façade. This phenomenon is more tangible in clayey **Bricks**. The organic compounds of the produced **Brick** are totally ruined in temperature of above 1100 C°. As a result, when these compounds are ruined, no For this reason, results of efflorescence tests are very slight due to above mentioned issue.




AT AZARAKHSH
WE PROVIDE THE BEST
T: (98) 21 2721 / W: WWW.AZARAKHSH.IR
QUALITY
HONESTY
ACE VALUE
EXCELENT DESIGNS
GREAT CUSTOMER CARE
20th
Anniversary



We Change Your Mind

Azarakhsh®

INTERNATIONAL REFRACTORY BRICK & CERAMIC GROUP

برای دریافت جزئیات و آدرس های مربوط به تصاویر داخل کاتالوگ و سایر پروژه های انجام شده با آجر آذرخش ، با مراجعه به منوی (پروژه ها) در سایت آذرخش می توانید در هر گوشه از ایران پهناور که باشید از نزدیک ترین پروژه ها به محل زندگی تان بازدید نمایید .

Azarakhsh International Refractory Brick Manufacturer Group

PRECIOUS BRICKS FOR THE FACADE

The Biggest Manufacturer Of Fire-Proof Productions & **Brick** Face in Middle East

▶ A member of Brick Industry Association of U.S.A





Brick Name ▶	Refractory Brick No 260
Design Name ▶	Yellow Design
Dimenations ▶	260×55×27
N/m² ▶	60

نام آجر ◀	آجر نسوز پلاک ۲۶۰
نام طرح ◀	نما زرد شاموتی
ابعاد ◀	۲۶۰×۵۵×۲۷
تعداد درهر متر مربع ◀	۶۰ قالب

Exclusive Properties of **Azarakhsh Refractory Bricks** One of the most important properties of **Azarakhsh Refractory Bricks** is their thermal masses. In fact, due to their high densities, they preserve heat and free such heat gradually. In other words, houses constructed with these **Bricks** become cool in summer and warm in winter since it does not let the energy be lost. Of the other properties of our **Bricks**, diversity of color may be exemplified. This color originates from color-making elements in mineral compounds. In addition, high temperature baking manifests the vast colors after production of refractory **Bricks**. These **Bricks** will then be constant from the view point of color against sunlight.


Azarakhsh International Refractory Brick Manufacturer Group

DETAILS PAGE 144



A Brick-made building is a part of nature. Harmony not only disturbs it but also grants its scenic color and form. This type of building is always preferred and advances though passage of time. **A Brick**-made building like a hand-made carpet is a combination of endless elegances of artist architects.









Brick Name ▶	Refractory Brick No 260	آجر نسوز پلاک ۲۶۰	نام آجر ◀
Design Name ▶	Yellow Design	نما زرد شاموتی	نام طرح ◀
Dimenations ▶	260×55×27	۲۶۰×۵۵×۲۷	ابعاد ◀
N/m² ▶	60	۶۰قالب	تعداد درهر متر مربع ◀











DETAILS
PAGE
144

260 - AP 31

All **Bricks** are composed of naturally occurring materials and they all have organic compounds. Pres-ence of these compounds in **Brick**s result in efflorescence and reduces the beauty of façade. This phe- omenon is more tangible in clayey **Bricks**. The organic compounds of the produced **Brick** are totally ru-ined in temperature of above 1100 C°.As a result, when these compounds are ruined, no For this rea-son, results of efflorescence tests are very slight due to above mentioned issue.





This Kind Of This type of architecture which is similar to rock climbing cliffs is an extraordinary and attractive design which has been created by **Azarakhsh Refractory Bricks**.

این نوع معماری که شبیه به طرح های صخره نوردی است یک طرح غیر معمول و جذاب است که توسط آجر های نسوز آذرخش اجرا شده است.


260 - AP 36


260 - AP 36


260 - AP 31

DETAILS PAGE 144





The secret of **Brick** ability for creating the most fantastic buildings of history is due to its proportionality. A **Brick**-made building is a part of nature. This building not only disturbs its congruency with nature but also provides a scenic color and form. Therefore, it has been always preferred by people. Like a hand-made carpet, it is the endless elegances of architects. The other property which brings exclusivity for **Brick** is its different sizes (dimension). These sizes have been evolved during time and coordinated with the human's body structure and ability. Its size makes it to be matched together easily. This property provides countless engineering properties in the location of two walls contact. **Bricks** are fixed to each other through mortar and provide a uniform surface. Due to their proper sizes, these materials have been used to create arc and dome since the era of Sassanid dynasty in Iran.





AZARAKHSH


Refractory Brick

www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East







به دلیل جغرافیای خورشیدی ایران و ماهیت کویری اکثر نقاط کشور ، آجر آذرخش پوششی همسو با اقلیم ایران است که علاوه بر زیبایی ، از لحاظ فنی نیز با تنوع آب و هوایی ایران سازگار می باشد . این محصول عایق بسیار مناسبی در برابر گرما و سرما است و به دلیل ساختار طبیعی مقاومت بسیار بالایی در مقابل عوامل جوی از خود نشان می دهد. زیبایی و هم سویی با طبیعت و ماندگاری بالا،نام آجر را در ذهن تداعی می کند.

Due to geographic position of Iran and the desert nature of many of its places, **Azarakhsh Bricks** are technically compatible with Iran's climate. In addition to beauty, they are also compatible with Iran's climate technically. This product is a very appropriate heat and cold-proofed. Moreover, it has a great strength against atmospheric factors due to it's natural structure. Beauty and congruency with nature as well as long immanency associates the name of **Brick** in mind.

DETAILS
PAGE
144




A Brick-made building is a part of nature. Harmony not only disturbs it but also grants its scenic color and form. This type of building is always preferred and advances though passage of time.**A Brick**-made building like a hand-made carpet is a combination of endless elegances of artist architects.

AZARAKHSH

Refractory Brick

www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East







Azarakhsh International Refractory Brick Manufacturer Group

DETAILS PAGE 144

Azarakhsh International Façade Refractory **Bricks** Manufactories (Group) is ready to fulfill the dreams you're thinking about by virtue of its equipment, specialist staffs and benefiting from all facilities and state of the art technologies whenever you desire.





330 - AP 40



All **Brick**s are composed of naturally- occurring materials and they all have organic compounds. Presence of these compounds in **Brick**s result in efflorescence and reduces the beauty of façade. This phenomenon is more tangible in clayey **Brick**s. The organic compounds of the produced **Brick** are totally ruined in temperature of above 1100 C°. As a result, when these compounds are ruined, no efflorescence occurs. For this reason,results of efflorescence tests are veryslight due to above mentioned issue.



260 - AP 31




330 - AP 40

Brick Name ▶	Refractory Brick No 330
Design Name ▶	Yellow Design
Dimenations ▶	330×70×27
N/m² ▶	38

نام آجر ◀	آجر نسوز پلاک ۳۳۰
نام طرح ◀	نما زرد شاموتی
ابعاد ◀	۳۳۰×۷۰×۲۷
تعداد درهر متر مربع ◀	۳۸ قالب









Touch of Nature

Azarakhsh group **with the support of specialized personnel and equipments and with the use of modern technologies and possibilities around the world is ready at any time that you wish to actualize your dream.**

PRECIOUS BrickS FOR THE FACADE

The Biggest Manufacturer Of Fire-Proof Productions & **Brick** Face in Middle East

A member of Brick Industry Association of U.S.A



High abilities of **Azarakhsh Bricks** to create diverse and Genuine forms yields to fruitfulness of Creative thoughts of architects and façade Designers. In fact, these **Bricks** can be Classified as creative and renovating materials Which have created creative masterpieces in Designs and architectures of all times. Therefore, **Brick** had always been paid attention by the Prominent architects of East and West.

توانایی بالای آجر آذرخش در ایجاد فرم های متنوع و اصیل می تواند باعث به ثمر نشستن اندیشه های خلاقانه ی معماران و طراحان نما در ساختمان شود. در واقع آجر را می توان در زمره ی مصالح خلاق و نوآور نیز دسته بندی کرد که در تمام اعصار و از بدو پیدایش ، پدید آورنده ی شاهکار های خلاقانه در طراحی و معماری بوده است. از این رو این محصول پیوسته مورد توجه معماران برجسته در شرق و غرب قرار گرفته است. شاهکار های هنری ، هنوز امکان بروز و پیوند خوردن به تاریخ را دارند .آجر به ذات هنر است و ابزاردست هنرمند معمار.




Get a Perfect view **The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East**

DETAILS PAGE 144




260 - AP 29

یکی از عوامل موثر و تاثیرگذار در خلق نماهای زیبا ایجاد کنتراست های متفاوت رنگی در میان بندهای موجود در آجرها می باشد ، استفاده از رنگ های ناهمگون ، مکمل و یا متضاد باعث به وجود آوردن نماهایی جذاب خواهد شد . انتخاب رنگ های روشن برای بند هایی که در میان آجرهایی با تونالیته های تیره خواهند گرفت ، تفاوت رنگی میان آجرها را محسوس می سازد و بالعکس انتخاب رنگ های تیره تفاوت ها را به حداقل می رساند .









Brick Name ▶	Refractory Brick No 260
Design Name ▶	British Design
Dimenations ▶	260×55×27
N/m² ▶	60

آجر نسوز پلاک ۲۶۰	نام آجر ◀
نما انگلیسی	نام طرح ◀
۲۶۰×۵۵×۲۷	ابعاد ◀
۶۰ قالب	تعداد درهر متر مربع ◀

One of the effective factors for creating beautiful facades is contrasting different colors among articulations.Using dissimilar, complimenting or inharmonious colors creates attractive facades. Selecting light colors for articulation between **Bricks** with dark tonalities distinguishes the color difference. Reciprocally,selecting dark colors minimize the differences.


260 - AP 29

DETAILS
PAGE
144





260 - AP 29


260 - AP 29



Brick Name ►	Refractory Brick No 260	آجر نسوز پلاک ۲۶۰	نام آجر ◄
Design Name ►	British Design	نما انگلیسی	نام طرح ◄
Dimenations ►	260×55×27	۲۶۰×۵۵×۲۷	ابعاد ◄
N/m² ►	60	۶۰ قالب	تعداد در هر متر مربع ◄







Exclusive Properties of **Azarakhsh Refractory Bricks** One of the most important properties of **Azarakhsh Refractory Bricks** is their thermal masses. In fact, due to their high densities, they preserve heat and free such heat gradually. In other words, houses constructed with these **Bricks** become cool in summer and warm in winter since it does not let the energy be lost. Of the other properties of our **Bricks**, diversity of color may be exemplified. This color originates from color-making elements in mineral compounds. In addition, high temperature baking manifests the vast colors after production of refractory **Bricks**. These **Bricks** will then be constant from the view point of color against sunlight.

DETAILS
PAGE
144







260 - AP 29
230 - AST 111

DETAILS
PAGE
144



One of the most important properties of **Azarakhsh Refractory Bricks** is their thermal masses. In fact, due to their high densities, they preserve heat and free such heat gradually. In other words, houses constructed with these **Bricks** become cool in summer and warm in winter since it does not let the energy be lost. Of the other properties of our **Bricks**, diversity of color may be exemplified. This color originates from color-making elements in mineral compounds. In addition, high temperature baking manifests the vast colors after production of Refractory **Bricks**. These **Bricks** will then be constant from the view point of color against sunlight. All **Bricks** are composed of naturally- occurring materials and they all have organic compounds. Presence of these compounds in **Bricks** result in efflorescence and reduces the beauty of façade. This phenomenon is more tangible in clayey **Bricks**. The organic compounds of the produced **brick** are totally ruined in temperature of above 1100 C°. As a result, when these compounds are ruined, no efflorescence occurs. For this reason, results of efflorescence tests are very slight due to above mentioned issue.

Azarakhsh®

INTERNATIONAL REFRACTORY BRICK & CERAMIC GROUP

AZARAKHSH

Refractory Brick

www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East



260 - AP 29
200 - AP 56



260 - AP 29



260 - AP 29



260 - AP 29

DETAILS PAGE 144




Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.



A façade constructed with **Azarakhsh** bricks creates delicateness and beauty of apparent display of building and its appropriate perspective for building. **Azarakhsh** refractory bricks play the role of a heat and cold-proof medium which prevent loss of energy produced by heating and cooling systems. They also remove or reflect heat in summer based on their color, type and area. This action applies for winter as they attract sunlight and consequently heat of the sun.



Brick Name ▶	Refractory Brick No 260	آجر نسوز پلاک ۲۶۰	◀ نام آجر
Design Name ▶	British Design	نما انگلیسی	◀ نام طرح
Dimenations ▶	260×55×27	۲۶۰×۵۵×۲۷	◀ ابعاد
N/m² ▶	60	۶۰قالب	◀ تعداد درهر متر مربع





DETAILS
PAGE
144

PRECIOUS BRICKS

Azarakhsh Co. facade firebricks international manufacturer group with the support of specialize personnel and equipments and with the use of modern technologies and possibilities around the world is ready at any time that you wish to actualize your dream.

بزرگترین تولیدکننده ی انواع آجرهای نسوز نماهای ماندگار ساختمان در خاورمیانه
عضوانجمن آجرآمریکا

گروه بین المللی کارخانجات فرآورده های نسوز آذرخش با پشتوانه تجهیزات و پرسنل متخصص خود و با بهره گیری از کلیه امکانات و تکنولوژی های روز دنیا و مطابق با استاندارد های بین المللی در هر زمان که شما اراده کنید آماده ی تحقق آن رویایی است که شما به آن می اندیشید...

High-grade bricks for a worth living architecture.

Azarakhsh®
INTERNATIONAL REFRACTORY BRICK & CERAMIC GROUP

برای دریافت جزئیات و آدرس های مربوط به تصاویر داخل کاتالوگ و سایر پروژه های انجام شده با آجر آذرخش ، با مراجعه به منوی (پروژه ها) در سایت آذرخش می توانید در هر گوشه از ایران پهناور که باشید از نزدیک ترین پروژه ها به محل زندگی تان بازدید نمایید

Get a Perfect view

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East



Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.





Brick Name ▶	Refractory Brick No 260	آجر نسوز پلاک ۲۶۰	نام آجر ◀
Design Name ▶	Graniti Design	نما گرانیتی	نام طرح ◀
Dimenations ▶	260×55×27	۲۶۰×۵۵×۲۷	ابعاد ◀
N/m² ▶	60	۶۰ قالب	تعداد در هر متر مربع ◀


DETAILS PAGE
144
146



A Brick-made building is a part of nature. Harmony not only disturbs it but also grants its scenic color and form. This type of building is always preferred and advances though passage of time.**A Brick**-made building like a hand-made carpet is a combination of endless elegances of artist architects.

AZARAKHSH
Refractory Brick
www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East





330 - AP 44

A Brick-made building is a part of nature. Harmony not only disturbs it but also grants its scenic color and form. This type of building is always preferred and advances though passage of time.**A Brick**-made building like a hand-made carpet is a combination of endless elegances of artist architects.

DETAILS
PAGE
144



A façade constructed with **Azarakhsh** bricks creates delicateness and beauty of apparent display of building and its appropriate perspective for building. **Azarakhsh** refractory bricks play the role of a heat and cold-proof medium which prevent loss of energy produced by heating and cooling systems. They also remove or reflect heat in summer based on their color, type and area. This action applies for winter as they attract sunlight and consequently heat of the sun.




AZARAKHSH

Refractory Brick

www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East









Get a Perfect view Azarakhsh Refractory Bricks, Ideal for Beautiful Patios, Yards, Staircases and Streets

DETAILS PAGE 149

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East








Azarakhsh International Refractory Brick Manufacturer Group

DETAILS PAGE
144
146



Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.



Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.

AZARAKHSH
Refractory Brick
www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East


260 - AP 36


260 - AP 36


260 - AP 36

Get a Perfect view Azarakhsh Refractory Bricks, Ideal for Beautiful Patios, Yards, Staircases and Streets

DETAILS PAGE
144
146

AZARAKHSH
Refractory Brick
www.Azarakhsh.ir


The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East





All Bricks are composed of naturally- occurring materials and they all have organic compounds. Presence of these compounds in Bricks result in efflorescence and reduces the beauty of façade. This phenomenon is more tangible in clayey Bricks. The organic compounds of the produced Brick are totally ruined in temperature of above 1100 C°. As a result, when these compounds are ruined, no efflorescence occurs. For this reason, results of efflorescence tests are very slight due to above mentioned issue.





DETAILS
PAGE
144
146



Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.



A façade constructed with **Azarakhsh** bricks creates delicateness and beauty of apparent display of building and its appropriate perspective for building. **Azarakhsh** refractory bricks play the role of a heat and cold-proof medium which prevent loss of energy produced by heating and cooling systems. They also remove or reflect heat in summer based on their color, type and area. This action applies for winter as they attract sunlight and consequently heat of the sun.



400 - AP 70

Brick Name ▶	Refractory Brick No 400	آجر نسوز پلاک ۴۰۰	◀ نام آجر
Design Name ▶	Modern Black Design	نما مدرن مشکی	◀ نام طرح
Dimenations ▶	400×200×27	۴۰۰×۲۰۰×۲۷	◀ ابعاد
N/m² ▶	12	۱۲ قالب	◀ تعداد درهر متر مربع



DETAILS PAGE
145





Brick Name ▶	Refractory Brick No 400	آجر نسوز ۴۰۰	◀ نام آجر
Design Name ▶	Modern Red Design	نما مدرن قرمز	◀ نام طرح
Dimenations ▶	400×200×27	۴۰۰×۲۰۰×۲۷	◀ ابعاد
N/m² ▶	12	۱۲ قالب	◀ تعداد درهر متر مربع



A Brick-made building is a part of nature. Harmony not only disturbs it but also grants its scenic color and form. This type of building is always preferred and advances though passage of time.**A Brick**-made building like a hand-made carpet is a combination of endless elegances of artist architects.

400 - AP 68







Brick Name ▶	Refractory Brick No 400
Design Name ▶	Modern Shamuti Design
Dimenations ▶	400×200×27
N/m² ▶	12

نام آجر ◀	آجر نسوز ۴۰۰
نام طرح ◀	نما مدرن شاموتی
ابعاد ◀	۲۷×۲۰۰×۴۰۰
تعداد درهر متر مربع ◀	۱۲ قالب

Get a Perfect view **The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East**

DETAILS PAGE 145



Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.

A façade constructed with **Azarakhsh bricks** creates delicateness and beauty of apparent display of building and its appropriate perspective for building. **Azarakhsh refractory bricks** play the role of a heat and cold-proof medium which prevent loss of energy produced by heating and cooling systems. They also remove or reflect heat in summer based on their color, type and area. This action applies for winter as they attract sunlight and consequently heat of the sun.



260 - AP 32
260 - AP 34

AZARAKHSH

Refractory Brick

www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East







DETAILS PAGE
144
145











The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East

A member of Brick Industry Association of U.S.A



Brick Name ▶	Refractory Brick No 260
Design Name ▶	Black Design
Dimenations ▶	260×55×27
N/m² ▶	60

نام آجر ◀	آجر نسوز پلاک ۲۶۰
نام طرح ◀	نـما مشـکی
ابعـاد ◀	۲۶۰×۵۵×۲۷
تعـداد درهر متـر مربـع ◀	۶۰قالب

DETAILS PAGE 145



Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.

AZARAKHSH
Refractory Brick
www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East


330 - AP 43



Brick Name ►	Refractory Brick No 330	آجر نسوز پلاک ۳۳۰	◄ نام آجر
Design Name ►	Black Design	نما مشکی	◄ نام طرح
Dimenations ►	330×70×27	۳۳۰×۷۰×۲۷	◄ ابعاد
N/m² ►	37	۳۷ قالب	◄ تعداد درهر متر مربع



رمز توانایی آجر در خلق شگفت انگیزترین ساختمان‌های تاریخ و در تناسبات آن نهفته است. یک ساختمان آجری جزئی از طبیعت است و هم آوایی آن را نه تنها به هم نمی‌زند بلکه رنگ و فرم چشم‌نوازی به آن می‌بخشد، از این رو همواره مورد پسند همگان بوده و هست. یک ساختمان آجری همانند یک فرش دستبافت، ترکیبی از سلیقه‌های بی‌انتهای معماران هنرمند است. ویژگی دیگری که سبب منحصر به فرد بودن آجر می‌شود، ابعاد متفاوت این مصالح ساختمانی می‌باشد. این ابعاد در طی زمان متحول شده و در حال حاضر با ساختار و توانایی بدن انسان هماهنگ شده است. ابعاد آجر به طریقی است که به راحتی در یکدیگر قفل و بست می‌گردند. این خاصیت،کیفیت‌های مهندسی بی شمار از جمله در محل اتصال دو دیوار به یکدیگر به وجود می آورد. آجرها به کمک ملات به یکدیگر متصل می شوند و سطح یکنواختی را به وجود می‌آورند. این ابعاد متناسب باعث شده است که این مصالح به منظور اجرای دهانه‌های وسیع به صورت قوس، طاق و گنبد که از زمان قبل از ساسانیان در ایران رواج داشته است،کارایی منحصر به فردی داشته باشد

The secret of Brick ability for creating the most fantastic buildings of history is due to its proportionality. A Brick-made building is a part of nature. This building not only disturbs its congruency with nature but also provides a scenic color and form. Therefore, it has been always preferred by people. Like a hand-made carpet, it is the endless elegances of architects. The other property which brings exclusivity for Brick is its different sizes dimension). Thesae sizes have been evolved during time and coordinated with the human's body structure and ability. Its size makes it to be matched together easily. This property provides countless engineering properties in the location of two walls contact. Bricks are fixed to each other through mortar and provide a uniform surface. Due to their proper sizes, these materials have been used to create arc and dome since the era of Sassanid dynasty in Iran.

DETAILS PAGE 145




A Brick-made building is a part of nature. Harmony not only disturbs it but also grants its scenic color and form. This type of building is always preferred and advances though passage of time.**A Brick**-made building like a hand-made carpet is a combination of endless elegances of artist architects.

AZARAKHSH


Refractory Brick

www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East



Random Brick



Repeating pattern





Get a Perfect view

Azarakhsh Refractory Bricks, Ideal for Beautiful Patios, Yards, Staircases and Streets

DETAILS PAGE 144



Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.



230 - AP 127

ARCHITECTURE BRICK



230 - AP 128

ARCHITECTURE BRICK



200 - AR 57

ARCHITECTURE BRICK



230 - AP 126

ARCHITECTURE BRICK









Brick Name ▶	Refractory Brick No 100
Design Name ▶	American Design
Dimenations ▶	100×100×27
N/m² ▶	100

آجر نسوز ۱۰۰	نام آجر ◀
طرح آمریکایی	نام طرح ◀
۱۰۰×۱۰۰×۲۷	ابعاد ◀
۱۰۰ قالب	تعداد درهر متر مربع ◀

All Bricks are composed of naturally- occurring materials and they all have organic compounds. Presence of these compounds in Bricks result in efflorescence and reduces the beauty of façade. This phenomenon is more tangible in clayey Bricks. The organic compounds of the produced Brick are totally ruined in temperature of above 1100 C°. As a result, when these compounds are ruined, no efflorescence occurs. For this reason,results of efflorescence tests are veryslight due to above mentioned issue.



DETAILS
PAGE
147

Azarakhsh International Façade Refractory Bricks Manufactories (Group) is ready to fulfill the dreams you're thinking about by virtue of its equipment, specialist staffs and benefiting from all facilities and state of the art technologies whenever you desire.





AZARAKHSH


Refractory Brick


www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East









Azarakhsh International Refractory Brick Manufacturer Group

DETAILS
PAGE
147
148



The most important factor for the beauty of Brick floors is the diversity of colors. This scenery is abundant in Azarakhsh **Bricks**. The beauty of them is indebted to presence of different mineral compounds. It should be mentioned that no coloring additives are added to **Bricks** during production and baking. In addition to beauty, these **Bricks** have high compressional strength so that they can withstand under pressures up to 900 Kg/cm. substrate or ground preparation is the most important step for fixing Brick floor. A combination of gravel and sand with thickness of 10 cm is very important for substrate preparation. Using Azarakhsh flooring **Bricks** in streets and crowded spaces is an advantaged which cannot be neglected. Substrate may be filled with thickness of 10 to 20 Cm in crowded places with heavy traffic. These **Bricks** like the other Azarakhsh **Bricks** are made of naturally-occurring minerals and no chemicals are used during their production. Therefore, the water penetrates the ground due to raining or leaching is environmentally friendly. In addition, due to space of articulations between rocks during Brick-lying, the rain water penetrates the ground immediately and no water accumulation in passages.



AZARAKHSH

Refractory Brick

www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East


250 - AP 59


200 - AP 59


100 - AR 102


100 - AR 102

مهمترین عامل زیبایی در کف فرش های آجری وجود تنوع رنگ در میان آنهاست . این چشم نوازی در میان آجرهای کف آذرخش به وفوردیده می شود، تنها دلیل به وجود آمدن این واریاسیون زیبا ، وجود عناصر گوناگون معدنی است . شایان ذکر است که در فرایند تولید و پخت آجرها هیچ گونه مواد افزودنی رنگ ساز استفاده نشده است . علاوه بر زیبایی و تنوع رنگ بسیار زیاد در کف فرش های آذرخش ، این گروه آجرها از مقاومت فشاری بسیار بالایی برخوردارند و بعضی از آنها حتی قادر به تحمل فشار تا ۹۰۰ کیلوگرم بر سانتیمتر مربع می باشند. زیر سازی اولین گام جهت نصب آجر فرشها می باشد .ترکیب موادی مناسب به منظور زیر سازی که معمولا مخلوطی متشکل از شن و ماسه با ضخامت ۱۰ سانتیمتر است از اهمیت ویژه ای برخوردار خواهد بود .استفاده از کف فرشهای آذرخش در خیابان ها و محوطه های پر تردد ،مزیتی است که نمی توان آن را نادیده گرفت. برحسب نیاز در مسیر های پر تردد و خیابان های شلوغ باحجم ترافیکی بالا ،دامنه زیر سازی را می توان از ۱۰ سانتیمتر به ۲۰ سانتیمتر افزایش داد . این گروه از تولیدات آذرخش همانند سایر محصولات از مواد معدنی طبیعی ساخته می شوند و در فرایند تولید آن هیچ گونه مواد شیمیایی به کار نمی رود ، از این رو در هنگام بارندگی و شستشو ، آبی که در اثر نفوذ پذیری به داخل زمین راه پیدا می کند هیچ گونه ضرری را برای محیط زیست در بر نخواهد داشت و به دلیل وجود بند های میانی آجرها در هنگام آجر چینی ، آب باران بلافاصله از طریق این درزها به داخل زمین نفوذ خواهد کرد و مانع آب گرفتگی در معابر خواهد شد .

DETAILS PAGE
147
148



230 - AP 127

Simple Floor Refractory Brick	100 * 100 * 27
Simple Floor Refractory Brick	100 * 100 * 27
Simple Floor Refractory Brick	114 * 23 * 27
Simple Floor Refractory Brick	114 * 23 * 64
Simple Floor Refractory Brick	114 * 23 * 50
Simple Floor Refractory Brick	200 * 200 * 32
Simple Floor Refractory Brick	200 * 200 * 50
Simple Floor Refractory Brick	250 * 250 * 32
Simple Floor Refractory Brick	250 * 250 * 50
Simple Floor Refractory Brick	400 * 400 * 30



230 - AP 126



230 - AP 128



230 - AP 127

Get a Perfect view **Azarakhsh Refractory Bricks, Ideal for Beautiful Patios, Yards, Staircases and Streets**



High-grade bricks for a worth living architecture.

Azarakhsh®

INTERNATIONAL REFRACTORY BRICK & CERAMIC GROUP

Get a Perfect view The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East

EXCEPTIONAL PROPERTIES OF AZARAKHSH FIREBRICK




One of the most important properties of **Azarakhsh** Refractory **Bricks** is their thermal masses. In fact, due to their high densities, they preserve heat and free such heat gradually. In other words, houses constructed with these **Bricks** become cool in summer and warm in winter since it does not let the energy be lost. Of the other properties of our **Bricks**, diversity of color may be exemplified. This color originates from color-making elements in mineral compounds. In addition, high temperature baking manifests the vast colors after production of Refractory **Bricks**. These **Bricks** will then be constant from the view point of color against sunlight. All **Bricks** are composed of naturally-occurring materials and they all have organic compounds. Presence of these compounds in **Bricks** result in efflorescence and reduces the beauty of façade. This phenomenon is more tangible in clayey **Bricks**. The organic compounds of the produced **brick** are totally ruined in temperature of above 1100 C°. As a result, when these compounds are ruined, no efflorescence occurs. For this reason, results of efflorescence tests are very slight due to above mentioned issue.

یکی از ویژگی های مهم استثنایی آجر نسوز آذرخش خاصیت توده ی گرمایی آن است .به این معنا که این آجر به دلیل داشتن دانسیته بالا، گرما را در خود ذخیره کرده و آهسته و آرام آن را آزاد می کند. این خاصیت سبب می شود که در ماههای گرم سال ،خانه های آجری خنک و در فصل سرد زمستان ،دیواره های آجری گرم مانده و مانع هدر رفتن انرژی و گرما شود .ازدیگر ویژگی های آجرنسوز آذرخش تنوع رنگ در آجرها می باشد که علت آن وجود عناصر رنگ ساز در مواد معدنی است و پخت در درجه حرارت بالا ،که خود را پس از فرایند تولید در محصول آشکار و نمایان می سازد . این خاصیت باعث پدید آمدن تنوع رنگ بسیار بالا شده و سبب می شود که آجرهای نسوز تحت تاثیر اشعه های نور خورشید تغییر رنگ نداده و جذابیت نمای ساختمان را ماندگار می سازد و هرگز حالت رنگ پریدگی در آن ایجاد نخواهد شد .تمام آجرها از مواد طبیعی تشکیل شده و مواد معدنی طبیعی دارای عناصر آلی می باشند .این عناصر بر اثر نفوذ رطوبت در سطح آجر ،سبب شوره زدگی شده و از زیبایی کار در نمای ساختمان می کاهد. این مسئله در تمامی آجرهای رسی محسوس و قابل مشاهده است. عناصر آلی موجود درمواد معدنی پس از رسیدن به دمایی بیش از ۱۱۰۰ درجه سانتیگراد کاملا از بین رفته و مانع از شوره زدگی در سطح آجر می شود که این عناصر در فرآیند تولید آجر نسوز آذرخش به پایین ترین حد ممکن رسیده است و در نتیجه تست شوره زدگی در این نوع آجرها در حد صفر خواهد بود.



Brick Name ▶	Rostic Refractory Brick	آجر نسوز رستیک ۱۹ AR - ۲۸۰ ◀ نام آجر
Design Name ▶	Random Shamuti Design	زرد شاموتی رندوم ◀ نام طرح
Dimenations ▶	280×70×28	۲۸×۷۰×۲۸۰ ◀ ابعاد




DETAILS PAGE
150
151



Azarakhsh International Façade Refractory Bricks Manufactories (Group) is ready to fulfill the dreams you're thinking about by virtue of its equipment, specialist staffs and benefiting from all facilities and state of the art technologies whenever you desire.

AZARAKHSH
Refractory Brick
www.Azarakhsh.ir
The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East


280 - AR 19

رمز توانایی آجر در خلق شگفت انگیزترین ساختمان‌های تاریخ و در تناسبات آن نهفتـه است. یک ساختمان آجری جزئی ازطبیعت است و هـم آوایی آن را نـه تنـها به هـم نمی‌زند بلکه رنگ و فرم چشم نوازی به آن می‌بخشد، از این رو همواره مورد پسند همگان بوده و هست. یک ساختمان آجری همانند یک فرش دست بافت، ترکیـبی از سلیقـه های بی انتـهای معمـاران هنـرمند است. ویژگی دیگری که سبب منحصر به فرد بودن آجر می‌شود، ابعاد متفاوت این مصالح ساختمانی می‌باشد. این ابعاد در طی زمان متحول شـده و در حال حاضر با ساختار و توانایی بدن انسان هماهنگ شده است.

The secret of **Brick** ability for creating the most fantastic buildings of history is due to its proportionality. A **Brick**-made building is a part of nature. This building not only disturbs its congruency with nature but also provides a scenic color and form. Therefore, it has been always preferred by people. Like a hand-made carpet, it is the endless elegances of architects. The other property which brings exclusivity for **Brick** is its different sizes (dimension). These sizes have been evolved during time and coordinated with the human's body structure and ability.


330 - AP 38

DETAILS PAGE
150
151



All construction materials react to temperature and moisture change and their volume consequently change. Pressures due to such volume changes result in adverse phenomena in buildings. For this reason, some actions should be taken to reduce these differential changes (movements). of course, expansion joint systems may reduce crack potential and the appertaining problems to some extent. However, accurate prediction of these changes is very difficult for most of the buildings since they encounter the designers and executors with some problems at the conclusion or post- construction stages. In general, these changes depend on the properties of construction materials. One of the destructive factors which jeopardize construction materials is moisture. This factor most threatens clayey Bricks rather than other construction materials since they dilate gradually. This dilation is very considerable and irreversible. Amount of destruction for any Brick depends on to its raw materials and the temperature of baking. Clayey Bricks cannot be used for façade ornamentation in places with high moisture or drastic temperature change between day and night because of mentioned problem. Due to having some special combination of compounds such as Al_2O_3 and SiO_2 as well as calcinations of raw materials in high temperatures prior to molding and during baking, Azarakhsh refectory Bricks are produced with considerable coherence rather than other construction materials. These products are unchangeable under any climatic conditions, temperature and moisture fluctuation. Therefore, its durability is tens of times higher than ordinary Bricks due to resistance to abrasion and erosion.

Azarakhsh®
INTERNATIONAL REFRACTORY BRICK & CERAMIC GROUP



Exclusive Properties of **Azarakhsh Refractory Bricks** One of the most important properties of **Azarakhsh Refractory Bricks** is their thermal masses. In fact, due to their high densities, they preserve heat and free such heat gradually. In other words, houses constructed with these **Bricks** become cool in summer and warm in winter since it does not let the energy be lost. Of the other properties of our **Bricks**, diversity of color may be exemplified. This color originates from color-making elements in mineral compounds. In addition, high temperature baking manifests the vast colors after production of refractory **Bricks**. These **Bricks** will then be constant from the view point of color against sunlight.





DETAILS
PAGE
150
151

A Brick-made building is a part of nature. Harmony not only disturbs it but also grants its scenic color and form. This type of building is always preferred and advances though passage of time.**A Brick**-made building like a hand-made carpet is a combination of endless elegances of artist architects.

200 - AR 81



200 - AR 81




200 - AR 81



Brick Name ▶	Rostic Refractory Brick
Design Name ▶	Random Shamuti Design
Dimenations ▶	280×70×28

نام آجر ◀	آجر نسوز رستیک ۱۹ AR - ۲۸۰
نام طرح ◀	زرد شاموتی رندوم
ابعاد ◀	۲۸×۷۰×۲۸۰






DETAILS PAGE
150
151



200 - AR 81

One of the most important properties of **Azarakhsh Refractory Bricks** is their thermal masses. In fact, due to their high densities, they preserve heat and free such heat gradually. In other words, houses constructed with these **Bricks** become cool in summer and warm in winter since it does not let the energy be lost. Of the other properties of our **Bricks**, diversity of color may be exemplified. This color originates from color-making elements in mineral compounds. In addition, high temperature baking manifests the vast colors after production of Refractory **Bricks**. These **Bricks** will then be constant from the view point of color against sunlight. All **Bricks** are composed of naturally- occurring materials and they all have organic compounds. Presence of these compounds in **Bricks** result in efflorescence and reduces the beauty of façade. This phenomenon is more tangible in clayey **Bricks**. The organic compounds of the produced brick are totally ruined in temperature of above 1100 C°. As a result, when these compounds are ruined, no efflorescence occurs. For this reason, results of efflorescence tests are very slight due to above .mentioned issue




200 - AR 81

PRECIOUS BRICKS FOR THE FACADE

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East

► A member of Brick Industry Association of U.S.A







A Brick-made building is a part of nature. Harmony not only disturbs it but also grants its scenic color and form. This type of building is always preferred and advances though passage of time.**A Brick**-made building like a hand-made carpet is a combination of endless elegances of artist architects.



Get a Perfect view **The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East**

DETAILS PAGE
150
151



Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.




DETAILS
PAGE
150
151

AZARAKHSH

Refractory Brick

www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East











Get a Perfect view Azarakhsh Refractory Bricks, Ideal for Beautiful Patios, Yards, Staircases and Streets



Brick Name ▶	Rostic Refractory Brick
Design Name ▶	Random Shamuti Design
Dimenations ▶	280×70×28
نام آجر ◀	آجر نسوز رستیک ۲۸۰ - AR ۲۰
نام طرح ◀	آمریکایی
ابعاد ◀	۲۸۰×۷۰×۲۸



The secret of **Brick** ability for creating the most fantastic buildings of history is due to its proportionality. A **Brick**-made building is a part of nature. This building not only disturbs its congruency with nature but also provides a scenic color and form. Therefore, it has been always preferred by people. Like a hand-made carpet, it is the endless elegances of architects. The other property which brings exclusivity for **Brick** is its different sizes (dimension). These sizes have been evolved during time and coordinated with the human's body structure and ability. Its size makes it to be matched together easily. This property provides countless engineering properties in the location of two walls contact. **Bricks** are fixed to each other through mortar and provide a uniform surface. Due to their proper sizes, these materials have been used to create arc and dome since the era of Sassanid dynasty in Iran.



DETAILS PAGE
150
151




280 - AR 20



280 - AR 20





Brick Name ▶ Rostic Refractory Brick
Design Name ▶ American Design
Dimenations ▶ 100×100×50

نام آجر ◀ آجر نسوز رستیک AR ۳۵
نام طرح ◀ طرح آمریکایی
ابعاد ◀ ۱۰۰×۱۰۰×۵۰

DETAILS PAGE 151





A Brick-made building is a part of nature. Harmony not only disturbs it but also grants its scenic color and form. This type of building is always preferred and advances though passage of time.**A Brick**-made building like a hand-made carpet is a combination of endless elegances of artist architects.

IDEAL BRICKS FOR OUTDOOR AREAS

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East

▶ A member of Brick Industry Association of U.S.A





Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.

نـمای آجـر آذرخـش ، باعـث ایجـاد زیبـایی و دلپذیرشـدن جـلوه ظاهـری و بیـرونی ساختـمان و در نهایت دورنـما و منـظره مناسب برای ساختـمان می باشد.آجر نسوز نـمای آذرخش در ساختمان نقـش یک عایق حرارتی و برودتی را ایفـا می کنـد که ازهـدر رفتـن انـرژی تولیـدی سیسـتم های گرمایـشی و سـرمایشی ساختـمان ممانعت می کند و بر حسب جنـس و رنـگ و میزان سطـحی که دارد باعث دفـع و انعکـاس گـرما در فصـل تابسـتان می شـود و عکس همین عملکرد را در فصـل زمسـتـان بـرای جذب انـرژی خورشیدی و گـرم شـدن ساختمان دارد.



280 - AR 20

Get a Perfect view **The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East**

DETAILS PAGE
150
151



Azarakhsh International Façade Refractory Bricks Manufactories (Group) is ready to fulfill the dreams you're thinking about by virtue of its equipment, specialist staffs and benefiting from all facilities and state of the art technologies whenever you desire.






Brick Name ▶	Rostic Refractory Brick	آجر نسوز رستیک ۲۰×۲۰	◀ نام آجر
Design Name ▶	American Design	طرح آمریکایی	◀ نام طرح
Dimenations ▶	200×200×27	۲۰۰×۲۰۰×۲۷	◀ ابعاد

Get a Perfect view
The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East


DETAILS PAGE 150



Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.



All Bricks are composed of naturally- occurring materials and they all have organic compounds. Presence of these compounds in Bricks result in efflorescence and reduces the beauty of façade. This phenomenon is compounds of the produced Bricks are totally ruined in temperature of above 1100C°.As a result, when these compounds are ruined, no efflorescence occurs. For this reason, results of efflorescence tests are very slight due to above mentioned issue.





Get a Perfect view

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East

DETAILS PAGE 148



A Brick-made building is a part of nature. Harmony not only disturbs it but also grants its scenic color and form. This type of building is always preferred and advances though passage of time.**A Brick**-made building like a hand-made carpet is a combination of endless elegances of artist architects.

260 - AP 30
230 - AST 111

AZARAKHSH

Refractory Brick

www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East









DETAILS PAGE
148



Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.

230 - AST 116
230 - AST 113
260 - AP 34



230 - AST 115

Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.

ARCHITECTURE BRICK





In addition to its durability and firmness, one of the reasons for façade construction is its beautiful display. It provides more attraction and favorability for the building and also increases the visual weight and beauty of the location where the building is constructed therein as well. Obviously, this façade provides a more favorable and specious effect on the morale of the building dwellers. Therefore, the efficiency and the life span of a building may increase through a useful façade. For the purpose of having a façade with considerable look, architectural codes and relevant solutions of building façade attraction and intimacy increase should be applied in addition to regarding structural instructions.



Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.


یکی از اهداف نماسازی برای ساختمان علاوه بر دوام و پایداری آن ، زیبایی و جلوه ی مناسب و مطلوب است که هم موجب دلپذیری و جذابیت بیشتر ساختمان می شود و هم در نهایت افزایش وزن بصری و زیبایی منطقه محل ساخت آن را در پی خواهد داشت .این چنین نمایی مسلما اثر مطلوب تر و چشم نوازتری را بر دید و روحیه ی ساکنان ساختمان خواهد داشت . بنابراین به کمک نمایی مناسب می توان علاوه بر دوام و مقاومت ، بر کارایی و عمر مفید ساختمان نیز افزود . برای اینکه نمای ساختمان جلوه و دید بصری در خور توجهی داشته باشد باید علاوه بر دستور العمل های سازه ای ، با رعایت ضوابط معماری و به کارگیری رهیافت های مربوط به افزایش جذابیت و صمیمیت ساختمان ، نمایی ، مطلوب و مقاوم را به ارمغان آورد.دکوراتیو تاثیر شگرفی بر ایجاد وزن بصری و سبک سازی نما و افزایش ماندگاری خواهد داشت و دستیابی به این مهم را آسان می سازد.





Brick Name ▶	Rock Design	نما صخره ای	نام طرح ◀
Dimenations ▶	230×50×50	۲۳۰×۵۰×۵۰	ابعاد ◀
N/m ▶	87	۸۷ قالب	تعداد در هر متر مربع ◀

Get a Perfect view The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East









DETAILS
PAGE
132

Azarakhsh brick façade gives beauty and delight to the appearance and ultimately is a suitable view for our building. Azarakhsh façade firebrick plays the role of heat and cold isolation that prevents waste of energy produced by heat and cold systems. Depending on the material color, and exposure surface it reflex the sun heat on summers and vice versa in winter.

Get a Perfect view Azarakhsh firebricks ideally suitable



AP 222



AP 222



Brick Name ▶	Refractory Brick No 260	آجر نسوز ستون	نام آجر ◀
Design Name ▶	Black Circle Design	دور ستون مشکی	نام طرح ◀
Dimenations ▶	230×50×50	۲۳۰×۵۰×۵۰	ابعاد ◀
N/m ▶	87	۸۷ قالب	تعداد درهر متر مربع ◀







DETAILS
PAGE
149



A façade constructed with **Azarakhsh** bricks creates delicateness and beauty of apparent display of building and its appropriate perspective for building. **Azarakhsh** refractory bricks play the role of a heat and cold-proof medium which prevent loss of energy produced by heating and cooling systems. They also remove or reflect heat in summer based on their color, type and area. This action applies for winter as they attract sunlight and consequently heat of the sun.

AP 139 - 230

AZARAKHSH

Refractory Brick


www.Azarakhsh.ir

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East









Get a Perfect view **Azarakhsh Refractory Bricks, Ideal for Beautiful Patios, Yards, Staircases and Streets**

DETAILS PAGE
132



Azarakhsh International Façade Refractory Bricks Manufactories (Group) is ready to fulfill the dreams you're thinking about by virtue of its equipment, specialist staffs and benefiting from all facilities and state of the art technologies whenever you desire.

AP 220
AP 226

PRECIOUS BRICKS FOR THE FACADE

The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East

▶ A member of Brick Industry Association of U.S.A





230 - AP 139



The secret of **Brick** ability for creating the most fantastic buildings of history is due to its proportionality. A **Brick**-made building is a part of nature. This building not only disturbs its congruency with nature but also provides a scenic color and form. Therefore, it has been always preferred by people. Like a hand-made carpet, it is the endless elegances of architects. The other property which brings exclusivity for **Brick** is its different sizes (dimension). These sizes have been evolved during time and coordinated with the human's body structure and ability. Its size makes it to be matched together easily.

Get a Perfect view **The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East**





Exclusive Properties of **Azarakhsh Refractory Bricks** One of the most important properties of **Azarakhsh Refractory Bricks** is their thermal masses. In fact, due to their high densities, they preserve heat and free such heat gradually. In other words, houses constructed with these **Bricks** become cool in summer and warm in winter since it does not let the energy be lost. Of the other properties of our **Bricks**, diversity of color may be exemplified. This color originates from color-making elements in mineral compounds. In addition, high temperature baking manifests the vast colors after production of refractory **Bricks**. These **Bricks** will then be constant from the view point of color against sunlight.











DETAILS
PAGE
155

Azarakhsh International Façade Refractory Bricks Manufactories (Group) is ready to fulfill the dreams you're thinking about by virtue of its equipment, specialist staffs and benefiting from all facilities and state of the art technologies whenever you desire.

ACD
260 - AP 29
230 - AST 115








ACD - 200


ACD - 201


ACD - 202


ACD - 203


ACD - 204


ACD - 250


ACD - 251


ACD - 252







ACD - 200	310 • 380 m.m
ACD - 201	200 • 200 m.m
ACD - 202	270 • 250 m.m
ACD - 203	200 • 200 m.m
ACD - 204	330 • 300 m.m
ACD - 250	400 • 400 m.m
ACD - 251	500 • 320 m.m
ACD - 252	500 • 500 m.m

Get a Perfect view **The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East**

Inscription Tile Refractory Bricks:

Planar refractory bricks are offered in the dimension of 50×70 in different designs such as brick layer, stone layer, antique and symbolic inscriptions, Achamenian, Greek and ancient Egypt designs. These types of bricks can be used for interior and exterior facades of residential and administrative buildings, hotels and etc. according to their sizes (dimensions), they can easily be fixed for façade. In addition, they have a very proper price in comparison with stone, earthenware and other graved materials.

آجر نسوز تایل کتیبه ای آجر نسوز صفحه ای در ابعاد ۷۰ ×۵۰ سانتی متر می باشد و در طرح های مختلف به صورت آجرچین ، سنگ چین ، کتیبه های نوشتاری و آنتیک ، سمبلیک و نقوش تاریخی هخامنشی ، یونانی و مصر باستان است .کاربرد این آجرها در نماهای داخلی و خارجی ساختمان های مسکونی ، اداری ، هتل ها و .... می باشد که با توجه به ابعاد آن پیشرفت کار سریع و ظرافت کار بسیار بالا می رود و با توجه به تولید صنعتی و انبوه ، قیمت بسیار مناسب در مقایسه با سنگ ، سفال و سایر مصالح منقوش دارد.















Architecture or sculpturing...

As you may see in this page, these two are not separate from each other.

Music, painting, sculpturing and generally arts originate from races, traditions, cultures and religious rituals. In addition, they represent the sentiments and thoughts of every religions and doctrines. If these arts are ruined, civilizations and cultures of every society are ruined in one hand and knowledge, literary and artistic information are diminished in human life. For this reason, we have to endeavor to provide materials which are highly durable and stable to create these valuable artistic works, those which are also resistant to climatic changes, rain and etc. For this sake, statutes, sculptures or other graved works which are used to decorate exterior spaces are more vulnerable to perdition (destruction) rather than other hand-made works since the materials which are used for creating these sculptures or statutes are mostly made from, cement, stone, plaster or earthenwork. Among these materials, cement and stone can only be used exteriorly, but they have their own problems. Due to water absorption, cement is decomposed. Most rocks have sedimentary origins and they become eroded due to temperature fluctuations. However, sculptures made by refractory materials do not show any of the above mentioned defects due to uniformity of materials and low absorption of water. Therefore, the created works are long-lasting and there are no spatial restrictionsto mount them.

موسیقی ،نقاشی ،مجسمه سازی و به طور کلی هنر درهر سرزمین ،ریشه در آداب و رسوم فرهنگ و مناسک مذهبی اقوام دارد و همچنین بیانگر عواطف و افکار هر آئین و مذهب است .از میان رفتن این هنرها از طرفی باعث از بین رفتن تمدن و فرهنگ هر جامعه و از طرف دیگر سبب کاهش و تنزل دانش و اطلاعات ادبی و هنری در امور زندگی انسان در همه قرون و عرصه ها می شود. از این رو باید بکوشیم تا مصالحی که برای خلق و به وجود آوردن این آثار گرانقدر هنری مورد استفاده قرار می گیرند از دوام و استحکام بالایی بر خوردار باشند و در برابر تغییرات آب و هوایی ، باد و باران و....گزند نبینند .از این رو تندیس ها ، پیکره ها و یا دیگر آثار منقوشی راکه برای آراستن فضای خارجی مورد استفاده قرار می دهیم ، بیش از سایر هنرهای دست ساز در معرض نابودی قرار می گیرند ، زیرا مصالح لازم برای خلق انواع تندیس ها و یا پیکره ها و.... اغلب سیمان ، سنگ ،گچ ، ویا سفال است ، که ازاین میان تنها سیمان و سنگ قابلیت استفاده در فضای خارجی را دارند و آنها نیز معایبی دارند . سیمان به جهت قابلیت جذب آب در هنگام یخ زدگی متلاشی می شود و انواع سنگ نیز به دلیل رسوبی بودن ، پس از گذشت زمان در نواسانات دمایی دچار فرسایش شده و منجر به متلاشی شدن می شود .اما مجسمه های ساخته شده با مواد نسوز ،به دلیل یک نواختی مواد و جذب آب کم ،هیچ یک از معایب مذکور را نداشته و اثر هنری ساخته شده با آن ماندگاری بسیار زیادی دارد و هیچ گونه محدودیت مکانی جهت نصب ندارند.


Azarakhsh Refractory Bricks, Ideal for Beautiful Patios, Yards, Staircases and Streets

Goals and honors of Azarakhsh Qom International Refractory Bricks Manufactories Group

- Obtaining two **ISO 9001** Standard certificates from MIC and Premier of England
- Obtaining **ISO 9001-2008** Standard certificate of Quality Management from **ITCC** of England
- Obtaining International **ISO 10002:2004** Standard certificate of Customer Satisfaction System from England
- Obtaining International **OHSAS 18001:2007** Standard certificate of Health and Safety from ITCC of England
- Obtaining International **ISO 14001:2004** Standard certificate of Environmental standard from **ASCB(E** of England
- Obtaining the position of Golden Product from Iran Confair **2010**
- Obtaining the standard emblem of Iran
- Obtaining 8 certificates from the Brick Industry Association (U.S.A)
- Brick Veneer- Environmental Cladding Choice
- Colors and patterns in brickwork
- Mortars for brickwork
- Water management in exterior walls
- Sustainability and brick masonry
- Water- resistant brickwork
- Articulation and scale in brickwork

Our goals are as following:

- Reaching a common concept of quality
- Providing assurance for costumers
- Identification and control of product properties which are not measurable by laboratory methods
- Creation of motivation for staffs and attracting their cooperation for advancement of the Co.'s goals
- Increasing the value of process output values by creating strategies for preventing error
- Strategies for segregation of favorable and unfavorable products
- Advancing towards comprehensive management system



اهـــداف و افتخـارات گـروه بیـن المـللی کارخانـجات آجـر نسـوز نـما آذرخـش:

کسب دوگواهینامه ایزو ۹۰۰۱ از **MIC** و premier انگلستان
دریافت گواهینامه ۲۰۰۸ - ۹۰۰۱ ISO مدیریت کیفیت از ITCC انگلستان
دریافت گواهینامه استاندارد بین المللی ۲۰۰۴ - ۱۰۰۰۲ ISO سیستم رضایت مشتری از انگلستان
دریافت گواهینامه استاندارد ۲۰۰۷ - ۱۸۰۰۱ OHSAS ایمنی و بهداشت از ITCC انگلستان
دریافت گواهینامه استاندارد بین المللی ۲۰۰۴ - ۱۴۰۰۱ ISO استاندارد زیست محیطی ASCB(E) انگلستان
کسب مقام محصول طلایی ۲۰۱۰ Iran Confair
دریافت علامت استاندارد ایران
کسب ۸ گواهینامه از انجمن آجر امریکا
Brick Veneer – Environmental Cladding Choice
Colors and Patterns in Brickwork
Mortars for Brickwork
Water Management in Exterior Walls
Sustainability and Brick Masonry
Water – Resistant Brickwork
Articulation and Scale in Brickwork

اهـداف ما عبارت است از :
رسیدن به یک مفهوم مشترک از کیفیت
اطمینان بخشیدن به مصرف کننده ومشتری
تشخیص و کنترل ویژگی های محصول که با استفاده از متدهای آزمایشگاهی قابل اندازه گیری نیستند
ایجاد انگیزه درپرسنل و جلب مشارکت آنها درپیشبرد اهداف شرکت
افزودن به ارزش خروجی های سیستم فرآیند با ایجاد راه کارهای جلوگیری از بروز خطا
راه کارهای جدا سازی اقلام خوب و معیوب
و در نهایت پیمودن مهم ترین گام در راه رسیدن به مدیریت کیفیت جامع









Get a Perfect view **The Biggest Manufacturer Of Fire-Proof Productions & Brick Face in Middle East**



Internatinal Exhibition of building S ince 2000 to 2016





نقش اصلی بند کشی ، پذیرش انبساط و انقباض سطحی ، موضعی و توزیع آن به طور یکنواخت در نمای ساختمان است ، علاوه بر آن بند کشی باید مانع ورود آب و نفوذ رطوبت به قشرهای داخلی دیوارها و سایر قطعات ساختمان گردد. از این رو ملات بندکشی باید ریزدانه و پرمایه باشد تا مانع ایجاد خاصیت جاذبه مویی شود.بند کشی به عنوان کار نهایی باید جذابیت منظر را کامل به اتمام برساند. عرض بند آجرها بر اساس طرح انتخابی ۸ تا ۲۰ میلیمتر می باشد که باید قبلا محل اجرای آن با برس تمیز گردد و پیش از شروع کار ، مرطوب و آبپاشی شود.حداقل عیار سیمان بندکشی ، شامل ۴۰۰ کیلوگرم سیمان در هر متر مکعب می باشد ، قطر سنگدانه نباید از ۱ میلیمتر بیشتر باشد.مناسب ترین زمان برای بند کشی قبل از سخت شدن ملات دیوار هاست(تا ۲۵ روز بعد از اجرا) در هر حال از بند کشی در هوای بسیار سرد ، بسیار گرم و بارندگی باید خودداری نمود ، چنانچه اجرای بند کشی در هوای بسیار سرد یا گرم الزامی باشد ،اتخاذ تدابیر مخصوص بتن ریزی در هوای بسیار گرم یا سرد الزامی است .در هوای گرم ، بند کشی بایداز تابش مستقیم خورشید مصون باشد با وسایل پوششی مناسب مرطوب نگه داشته شود . در هوای سرد بندکشی باید در روزهای آفتابی بین ساعات ۱۰الی ۱۴ صورت گیرد ، از ماسه و آب گرم استفاده شود و نمای بند کشی شده با وسایل مناسب پوشانده وگرم نگه داشته شود . سرعت سفت شدن ملات با تقلیل درجه حرارت محیط ، کاهش می یابد .لذا هنگام بند کشی در هوای سرد ،سرعت بند کشی باید به نحوی باشد که فرصت کافی برای سفت شدن ملات قبل از شروع یخبندان وجود داشته باشد .

The main role of articulation or jointing is to predict superficial expansion or contraction and distribute such changes to the building façade. In addition, articulation should prevent water and moisture penetration to internal layers of buildings.For this reason,articulation mortar should be fine grain with much cement to prevent capillarity. Articulation should complete the attraction of building perspective.The width of Bricks joints should be 8 to 20 mm based on the selected design.Before articulation, its place should be brushed and wetted.The minimum amount of cement for articulation is 400 Kg per 1 cubic meter. In addition, the aggregate diameter should not exceed 1mm.The most appropriate time for articulation is prior to mortar hardening (25 days after construction). However, articulation should be prevented in cold or hot weather or during raining. In case, this action should be carried under above mentioned circumstances,special schemes of concrete laying in very hot and cold weather are obligatory. In hot weather, articulation should be carried out away from sunlight and protected with appropriate wet protections.In cold weather, it should be carried out in sunny days between 10:00 p.m. to 14:00. In addition, sand and warm water should be used and the articulated wall should be protected from heat.Mortar hardening speed decreased when the temperature drops. Therefore, articulation in cold weather should be carried out provided that there would be enough time for hardening prior to frost time.









نکـاتی در مـورد نحـوه ی بنـدکشـی آجـرها:

- قبـل از نصب آجـرها محـل اتصـال آجـر بر روی دیـوار بـایـد مرطـوب گـردد .
- حـداقل و حـداکثر ملات خـور پشـت آجـر ،بیـن ۲ تا ۴ سانتـی متـر باشد .
- بهترین دما جهت نصب ، بین ۵ تا ۳۵ درجه سانتی گراد است و هـرگز در زمان یخبندان نبایـد عملیات نماکاری انجام شود .
- ماسـه و آب مـورد استفـاده در ملات ها بایـد عاری از هـر گـونه مواد آلی باشد .
- مناسب ترین زمان جهت بندکشی حداقل چند هفته بعد از نصب آجرها است .
- قبـل از بنـدکشـی محـدوده مـورد نظـر بـایـد مرطـوب گـردد .
- بهترین زمان برای استفاده از ملات آماده شده جهت بندکشی ،حداکثر ۲تا۵ ساعت می باشد .
- بـه منظـور همگن شدن ملات مناسب برای بند کشی ، حداقـل چند دقیقـه بایـد آن را ورز داد.
- هیـچ گـاه از صفحـه ملات برای این منظـور استفاده نشود .
- هنگام بندکشی باید ملات را روی قلم بندکشی قرار داد و سپس آن را بین شیار دو آجر فرو برد.
- هرگز نباید از دستمال مرطوب به منظور تمیز نمودن اضافات ملات بین شیارها استفاده نمود.
- بهتـرین گـزینـه به کار بـردن برس ، پـس از گذشت ۲ ساعت می باشد.
- چنانچه از رزین به منظور ضد آب نمودن آجر استفاده شود باید سازه کاملا خشک و تمیز باشد.
- به ملات بند کشی می توان پودر های رنگی اضافه نمود . اما مقدار آنها در ملات نباید از ۱۰٪ وزن سیمان تجاوز کند وعلاوه بر آن باید ضد قلیا بوده و در مقابل نور ،ثبات خود را در دراز مدت حفظ نماید .



Some Points Concerning Articulation of Bricks:


- **Brick** fixing place on the wall should be wetted prior to fixing.
- The min. and max. depth of mortar filling behind **Brick** layer is 2- 4 cm.
- Mortar sand and water should be free from any organic materials.
- The most appropriate time for articulation is several weeks after **Brick**ing.
- The area in question should be watered prior to articulation.
- The best time for using the mortar for articulation is 2.5 hours after preparation of mortar at most.
- The mortar should be kneaded for several hours prior to articulation.
- Mortar plate should not be used for kneading under no circumstances.
- The mortar should be placed on the jointing chisel and then put between two grooves.
- Wet napkin should never be used to clean the surplus mortar between grooves.
- The best time for brushing is two hours after articulation.
- If any resin is used to make the structure water-resistant, it should be dry and clean.
- Colorful powders can be added to articulation mortar but they should not exceed 10 percent of cement weight. In addition,they should be non-alkaline and preserve their colors against sunlight in long time.
- The best temperature for articulation ranges between 5- 35 C°. façade construction should never be carried out during frost time.


Dimension Rostic Refractory Brick (mm)
200 * 100 * 25
200 * 50 * 25
200 * 200 * 25
100 * 100 * 50
100 * 100 * 25
280 * 70 * 25
300 * 60 * 25
250 * 50 * 25
140 * 70 * 25
150 * 60 * 25
125 * 50 * 25
150 * 150 * 25
150 * 75 * 25
280-140 * 70 * 25
200-100 * 100 * 25
200-100 * 50 * 25
300-150 * 60 * 25
250-125 * 50 * 25
150-150 * 75 * 25
200 * 100 * 25

Brick Type	ابعاد Dimension (mm)	نوع آجر
Refractory Brick No 180	180 * 50 * 27	آجر نسوز پلاک ۱۸۰
Refractory Brick No 180	180 * 50 * 40	آجر نسوز پلاک ۱۸۰
Refractory Brick No 220	220 * 55 * 27	آجر نسوز پلاک ۲۲۰
Refractory Brick No 220	220 * 55 * 50	آجر نسوز پلاک ۲۲۰
Refractory Brick No 230	230 * 50 * 27	آجر نسوز پلاک ۲۳۰
Refractory Brick No 230	230 * 50 * 40	آجر نسوز پلاک ۲۳۰
Refractory Brick No 260	260 * 55 * 27	آجر نسوز پلاک ۲۶۰
Refractory Brick No 260	260 * 55 * 40	آجر نسوز پلاک ۲۶۰
Refractory Brick No 330	330 * 70 * 27	آجر نسوز پلاک ۳۳۰
Refractory Brick No 330	330 * 70 * 40	آجر نسوز پلاک ۳۳۰
Refractory Brick No 230	230 * 114 * 27	آجر نسوز ۲۳۰
Refractory Brick No 100	100 * 100 * 27	آجر نسوز ۱۰۰
Refractory Brick No 100	100 * 100 * 50	آجر نسوز ۱۰۰
Refractory Brick No 250	250 * 125 * 27	آجر نسوز ۲۵۰
Refractory Brick No 250	250 * 125 * 40	آجر نسوز ۲۵۰
Refractory Brick No 200	200 * 200 * 27	آجر نسوز ۲۰۰
Refractory Brick No 220	200 * 200 * 40	آجر نسوز ۲۰۰
Refractory Brick No 400	400 * 200 * 27	آجر نسوز ۴۰۰
Simple Floor Refractory Brick	230 * 114 * 50	آجر نسوز فرش کف
Simple Floor Refractory Brick	250 * 125 * 50	آجر نسوز فرش کف
Simple Floor Refractory Brick	250 * 250 * 50	آجر نسوز فرش کف
Refractory Brick,Designed	230 * 114 * 64	آجر نسوز طرح ابزار
Refractory Brick,Lily Design	250 * 250 * 50	آجر نسوز طرح گل نیلوفر
Refractory Brick,Raonded custom	230 * 50 * 50	آجر نسوز دور خارجی ۸۰
Refractory Brick 90 Degrees No100	100 - 100 * 55 * 32	آجر نسوز L ۱۰۰
Refractory Brick 90 Degrees No220	220 - 110 * 55 * 30	آجر نسوز L ۲۲۰
Refractory Brick 90 Degrees No230	260 - 130 * 50 * 32	آجر نسوز L ۲۳۰
Refractory Brick 90 Degrees No260	260 - 130 * 55 * 32	آجر نسوز L ۲۶۰
Refractory Brick 90 Degrees No330	330 - 165 * 70 * 32	آجر نسوز L ۳۳۰
Angled Refractory Brick With No230	330 - 165 * 70 * 32	آجر نسوز L ۲۳۰ در زوایای مختلف
Refractory Brick Sheet Inscription	700 * 500 * 45	آجر نسوز تایل کتیبه ای
Flat firePlace Refractory Brick	150 * 85 * 27	آجر نسوز شومینه تخت
Round firePlace Refractory Brick	150 * 85 * 27	آجر نسوز شومینه گرد
Decorativ Refractory Brick	100 * 100 * 27	آجر نسوز دکوراتیو
	260 * 55 * 30	آجر نسوزحاشیه
Rock Design Refractory Brick	230 * 50 * 50	آجر نسوز صخره ای
The colors of the abore bricks range from red , yellow , black to whits	تمامی آجر های فوق در رنگ های قرمز، زرد ، مشکی و سفید موجود است	





Get a Perfect view





260 - AP29 260-55-27 mm



260 - AP29 260-55-27 mm


260 - AP29 260-55-27 mm


260 - AP29 260-55-27 mm



260 - AP30 260-55-27 mm



260 - AP29 260-55-27 mm


260 - AP31 260-55-27 mm


260 - AP31 260-55-27 mm



260 - AP31 260-55-27 mm



260 - AP 32 260-55-27mm


260 - AP32 260-55-27 mm



260 - AP32 260-55-27 mm


260 - AP30 260-55-27 mm


260 - AP33 260-55-27 mm



260 - AP33 260-55-27 mm



260 - AP30 260-55-27 mm


260 - AP300 260-55-27 mm



260 - AP300 260-55-27 mm



260 - AP34 260-55-27 mm


260 - AP34 260-55-27 mm



260 - AP34 260-55-27 mm


260 - AP36 260-55-27 mm


400 - AP65 400-200-27 mm



400 - AP67 400-200-27 mm


400 - AP69 400-200-27 mm



400 - AP70 400-200-27 mm



400 - AP68 400-200-27 mm



00 AP 32



00 AP000



150 - AP11 150-85-27 mm



260 - ASH420 260-55-27 mm



260 - ASH400 260-55-27 mm



260 - ASH380 260-55-27 mm



330 - ASH480 330-75-27 mm



260 - ASH460 260-55-27 mm



260 - ASH440 260-55-27 mm




200 - AP56 200-200-27 mm



200 - AP58 200-200-27 mm



200 - AP58 200-200-27 mm



200 - AP59 200-200-27 mm



200 - AP61 200-200-27 mm


200 - AP61 200-200-27 mm


200 - AP60 200-200-27 mm


330 - AP38 330-70-27 mm



330 - AP38 330-70-27 mm


330 - AP43 330-70-27 mm


330 - AP40 330-70-27 mm


330 - AP40 330-70-27 mm



330 - AP40 330-70-27 mm



330 - AP38 330-70-27 mm



330 - AP42 330-70-27 mm



330 - AP44 330-70-27 mm



330 - AP41 330-70-27 mm



330 - AP41 330-70-27 mm



55 AP464 55-55-27 mm



55 AP460 55-55-27 mm


55 AP460 55-55-27 mm



55 AP461 55-55-27 mm



55 AP462 55-55-27 mm



55 AP465 55-55-27 mm


55 AP464 55-55-27 mm



55 AP463 55-55-27 mm



55 AP465 55-55-27 mm


100 - AP152 100-100-27 mm



100 - AP151 100-100-27 mm


100 - AP151 100-100-27 mm


100 - AP154 100-100-27 mm



100 - AP153 100-100-27 mm


100 - AP153 100-100-27 mm


100 - AP155 100-100-27 mm


100 - AP153 100-100-27 mm



100 - AP153 100-100-27 mm




380 - AP397 380-80-27 mm


330 - AP45 330-55-27 mm


330 - AP45 330-55-27 mm


250 - AP 50 250-250-27 mm



250 - AP 52 250-250-27 mm



250 - AP 52 250-250-27 mm


250 - AP 49 250-250-27 mm


250 - AP 47 250-250-27 mm



230 AP86 230-114-27 mm


230 AP85 230-114-27 mm


230 AP83 230-114-27 mm



230 AP83 230-114-27 mm


230 - AST116 230-50-50 mm


230 AP88 230-114-27 mm


230 AP87 230-114-27 mm


230 - AST115 230-50-50 mm



230 - AST113 230-50-50 mm


230 - AST111 230-50-50 mm


230 - AP138 230-50-50 mm


330 - AP43 330-55-27 mm


330 - AP43 330-55-27 mm


380 - AP392 380-80-27 mm



380 AP 395 380-80-27 mm


380 AP 396 380-80-27 mm



230 - AP139 230-50-50 mm



230 - AP137 230-50-50 mm


330 - AP710 330-35-30 mm


330 - AP740 330-35-30 mm


330 - AP730 330-35-30 mm



330 - AP720 330-35-30 mm



330 - AP750 330-35-30 mm



144 AP218 144-55-30 mm


144 AP216 144-55-30 mm


144 AP215 144-55-30 mm


144 AP214 144-55-30 mm



144 AP214 144-55-30 mm





200 - AR83 200-50-25 mm


200 - AR 52 200-200-27 mm



200 - AR 52 200-200-27 mm


200 - AR83 200-50-25 mm



200 - AR53 200-200-27 mm



200 - AR51 200-200-25 mm


200 - AR02 200-100-25 mm


200 - AR 58 200-200-27 mm


200 - AR 57 200-200-27 mm


200 - AR04 200-100-25 mm


200 - AR81 200-50-25 mm



200 - AR81 200-50-25 mm



200 - AR04 200-100-25 mm



200 - AR88 200-50-25 mm



200 - AR87 200-50-25 mm



200 - AR06 200-100-25 mm



200 - AR80 200-50-25 mm



200 - AR80 200-50-25 mm



100 - AR43 100-100-50 mm


100 - AR42 100-100-50 mm



100 - AR35 100-100-50 mm


100 - AR44 100-100-25 mm



100 - AR46 100-100-25 mm


280 - AR19 280-70-25 mm


280 - AR20 280-70-25 mm


280 - AR20 280-70-25 mm


280 - AR19 280-70-25 mm


100 - AR46 100-100-50 mm


280 - AR27 280-70-25 mm



280 - AR21 280-70-25 mm



200 - AR95 200-100-25 mm



200 - AR96 200-100-25 mm


380 - AP394 380-80-27 mm


380 - AP396 380-80-27 mm


380 - AP393 380-80-27 mm


380 - AP397 380-80-27 mm




230 - AP 127 230/114/64 mm



230 - AP 127 230/114/64 mm



100 - AP 154 100/100/27 mm



250 - AP 161 250/250/50 mm



100 - AR 35 100/100/50 mm



100 - AR 102 100/100/50 mm



200 - AP 59 200/200/27 mm



200 - AP 58 200/200/27 mm



ACD 101
260*55*30 mm



ACD 102
260*55*30 mm



ACD 103
260*55*30 mm



ACD 104
260*55*30 mm



ACD 105
260*55*30 mm



ACD 106
260*55*30 mm



ACD 107
260*55*30 mm



ACD 108
260*55*30 mm



ACD - 201



ACD - 203



ACD - 3


ACD - 23


ACD - 6


ACD - 19


ACD - 22


ACD - 35


ACD - 25


ACD - 20


ACD - 11



ACD - 14


ACD - 34


ACD - 18


ACD - 5


ACD - 10


ACD - 4


ACD - 33


ACD - 9


ACD - 26



ACD - 17


ACD - 12


ACD - 32


ACD - 15


ACD - 16



ACD - 21


ACD - 8


ACD - 31


ACD - 27


ACD - 7


ACD - 28


ACD - 29


ACD - 30

















All construction materials react to temperature and moisture change and their volume consequently change. Pressures due to such volume changes result in adverse phenomena in buildings. For this reason, some actions should be taken to reduce these differential changes (movements). Of course, expansion joint systems may reduce crack potential and the appertaining problems to some extent. However, accurate prediction of these changes is very difficult for most of the buildings since they encounter the designers and executors with some problems at the conclusion or post-construction stages. In general, these changes depend on the properties of construction materials. One of the destructive factors which jeopardize construction materials is moisture. This factor most threatens clayey **Bricks** rather than other construction materials since they dilate gradually. This dilation is very considerable and irreversible. Amount of destruction for any **Brick** depends on to its raw materials and the temperature of baking. Clayey **Bricks** cannot be used for façade ornamentation in places with high moisture or drastic temperature change between day and night because of mentioned problem. Due to having some special combination of compounds such as Al2O3 and SIO2 as well as calcinations of raw materials in high temperatures prior to molding and during baking, **Azarakhsh** refectory **Bricks** are produced with considerable coherence rather than other construction materials. These products are unchangeable under any climatic conditions, temperature and moisture fluctuation. Therefore, its durability is tens of times higher than ordinary **Bricks** due to resistance to abrasion and erosion.

تمامی مصالح ساختمانی ، نسبت به تغییر دما و رطوبت واکنش نشان داده و تغییر حجم پیدا می کنند .فشارهای ناشی از این تغییرات منجر به پدید آمدن چنین پدیده های مضری در ساختمان شده و باید تدابیری اندیشید تا حرکات دیفرانسیلی در ساختمان کاهش یابد ، البته سیستم درز های انبساطی تا حدودی می تواند پتانسیل ترکها و مشکلات ناشی از آن را کاهش دهد ، اما در بیشتر ساختمان ها پیش بینی دقیق و لازم کاری بسیار دشوار است که طراحان و مجریان را در پایان و بعد از اجرای پروژه دچار مشکل می کند. بطور کلی این تغییرات به خواص مصالح ساختمانی که بسیار متنوع هستند بستگی دارد ، یکی از عوامل تخریب کننده که مصالح ساختمانی را در معرض خطر قرار می دهد رطوبت است و این عامل آجرهای رسی را بیشتر از سایر مصالح تهدید می کند. زیرا آجر های رسی به آهستگی در گذر زمان و تحت تاثیر رطوبت منبسط شده و این انبساط بسیار مشهود بوده و برگشت ناپذیر است، میزان تخریب در هر آجر به مواد خام و همچنین میزان درجه حرارت در هنگام پخت بستگی دارد . به دلیل وجود این مشکلات ، از آجرهای رسی نمی توان به منظور تزئین نمای ساختمان در مناطقی که آب و هوای مرطوب و یا تغییر دمای زیاد در شب و روز دارند ، استفاده کرد .آجر نسوز آذرخش به دلیل وجود عناصر خاص نظیر AL2O3 - SIO2 در ترکیبات آن و همچنین کلسینه شدن مواد خام در دماهای بالا قبل از قالب گیری و درجه حرارت بالا در هنگام پخت ، محصول نهایی را با انسجام قابل توجهی در مقابل سایر مصالح نما به وجود می آورد که در هر شرایط آب و هوایی و در مقابل هر گونه نوسانات دما و رطوبت تغییر ناپذیر است و از طول عمر بالایی برخوردار بوده و به جهت مقاوم بودن در مقابل سایش و فرسایش، ماندگاری آن را ده ها برابر بیشتر از آجر های معمولی می کند.



برای دریافت جزئیات و آدرس های مربوط به تصاویر داخل کاتالوگ و سایر پروژه های انجام شده با آجر آذرخش ، با مراجعه به منوی (پروژه ها) در سایت آذرخش می توانید در هر گوشه از ایران پهناور که باشید از نزدیک ترین پروژه ها به محل زندگی تان بازدید نمایید .

مجموعه حاضر با هدف بالا بردن سطح آگاهی شما در مورد آجر و به منظوراطلاع رسانی بیشتر و انتخابی بهتر تهیه گردیده است.چنانچه نیاز به اطلاعات بیشتری در این زمینه است لطفا به وب سایت این شرکت با نشانی ذیل مراجعه نمایید

WWW.AZARAKHSH-CO.COM

The present is prepared for increasing your knowledge about the execution and more notification and better choice. In case you needed further information in this regard please refer to our website ad-dressed at

سامانه پیامک انتقادات و پیشنهادات : SMS ۳۰۰۰۲۷۲۱
















هرگونه استفاده از نام ، مطالب ،تصویر و طرح های این کاتالوگ بدون اجازه ی کتبی از شرکت آذرخش ،ممنوع و پیگرد قانونی دارد.





دفتر مرکزی :
تهران ، زعفرانیه ، میدان الف ، پلاک ۲۱ ساختمان آذرخش
تلفن : ۲۷۲۱-۰۲۱ ۳-۲۶۲۱۳۸۶۰ ۹-۲۶۲۱۳۸۵۰ ۹-۲۶۲۱۳۸۴۴

دفتر قم :
انتهای ۷۵ متری عمار یاسر ، نبش
کوچه ۷۱ ، ساختمان آذرخش
تلفن دفتر : ۳۷۷۷۶۶۳۳
۰۲۵-۳۷۷۷۹۹۳۳

دفتر اصفهان :
اصفهان ، بوستان سعدی ، حد فاصل
پل فلزی و پل مارنان ، پلاک ۱۱۸
ساختمان آذرخش
تلفن : ویژه ۴۰۱۰ – ۰۳۱
تلفکس : ۴۰۱۰ – ۰۳۱
۹ – ۳۶۲۹۶۲۶۷ – ۰۳۱

دفتر کرج :
مهر ویلا ، میدان امام خمینی ،
بلوار یادگار امام ، بین بلال ۲و۳
ساختمان آذرخش
تلفن : ۳۲۷۷۵۶۳۸-۰۲۶ و
۳۲۷۷۵۸۷۳-۰۲۶
تلفکس : ۳۲۷۷۶۰۱۴-۰۲۶ و
۳۲۷۷۵۸۲۵-۰۲۶

کارخانه (۱) :
قم ، شهرک صنعتی شکوهیه ، بلوار
شهید بهشتی ، نبش خیابان مفتح
تلفن : ۳۳ – ۳۳۳۴۲۰۳۱ – ۰۲۵
تلفکس : ۳۳۳۴۲۰۵۶ -۰۲۵

کارخانه (۲) :
قم ، شهرک صنعتی محمود آباد ،
خیابان زاگرس ، روبروی سازمان آب
تلفن : ۳۷ – ۳۳۳۵۳۳۳۴ – ۰۲۵
تلفکس : ۳۳۳۵۳۳۳۸ – ۰۲۵

کارخانه (۳) :
قم ، شهرک صنعتی محمود آباد ،
خیابان سهند
تلفن : ۵- ۳۳۳۵۳۴۰۱ – ۰۲۵
تلفکس : ۳۳۳۵۳۲۷۷ -۰۲۵

کارخانه (۴) :
قم ، شهرک صنعتی محمود آباد ،
خیابان سهند ، خیابان دماوند
تلفن : ۳۳۳۵۳۴۳۸ – ۰۲۵
تلفکس : ۳۳۳۵۳۴۴۱ -۰۲۵

Head Office Add :
Azarakhsh Bldg . , NO . : 21 , Alef Sq. ,Zafaranieh , Tehran
Phone : +98212721 +9821 26213844 - 9 +9821 26213850 – 9
+9821 26213860 – 3

Qom Office Add . :
Azarakhsh Bldg . , next to alley No. : 71,
Before ring read , at the end of Ammar
Yaser 75-m Ave., Qom
Phone: +9825 37779933 – 37774433
Fax : + 9825 37776633

Esfahan Office Add . :
Azarakhsh Bldg . , NO . : 118 Marnan
Bridge And Felezi Bridge , Boustan-e
Sadi , Esfahan
Phone : + 9831 4010 +9831 36296267 – 9
Fax : +9831 4010

Karaj Office Add . :
Azarakhsh Bldg . , Between Balal 2 &3 ST. ,
Yadegar Imam Blvd . , Imam Khomeini Sq . ,
Mehrvila , Karaj
Phone : +9826 32775638 +9826 32775825 +982632775873
Fax : +9826 32776014

Factory No . : 1Add . :
Next to Mofattah St., Shahid Beheshti
Blvd., Shokoohieh Industrial Town , Qom
Phone : + 9825 33343031 – 33
Fax : +982533342056

Factory No . : 2Add . :
Opposite side of Water Organization ,
Zagros St., Mahmood Abad Industrial
Town , Qom
Phone : +9825 33353334
Fax : +9825 33353338

Factory No . : 3Add . :
Sahand St., Mahmood Abad Industrial
Town , Qom
Phone : +9825 33353401-5
Fax : +9825 33353277

Factory No . : 4Add . :
Sahand St., Mahmood Abad Industrial
Town , Qom
Phone : +9825 33353438
Fax : + 9825 33353441

مجموعه حاضر با هدف بالا بردن سطح آگاهی شما در مورد آجر و به منظور اطلاع رسانی بیشتر و انتخابی بهتر تهیه و تدوین گردیده است . چنانچه نیاز به اطلاعات بیشتری در این زمینه است لطفا به وب سایت این شرکت با نشانی ذیل مرجعه نمایید .

The current text has been prepared for your further information about brick. Should you require having any further information, please visit us at **www. Azarakhsh.ir**

www.azarakhsh-co.com www.azarakhsh.ir www.azarakhsh.co
E-mail:info@azarakhsh.ir SMS: +9830002721 +98212721